HENRY SCHEIN®
ANIMAL HEALTH

NLS Animal HEALTH
A DIVISION OF HENRY SCHEIN®

2009 Veterinary Equipment Guide

ONE STOP
RESOURCE FOR ALL YOUR EQUIPMENT NEEDS

TO ORDER FROM HENRY SCHEIN, CALL:
1-800-872-4346 8AM-9PM (ET)
To Fax: 1-800-231-5251 24 Hours

VET INSTITUTIONAL:
1-800-552-8387
To Fax: 1-800-483-8329

www.henryschein.com/veterinary

TO ORDER FROM NLS, CALL

Texas & Oklahoma
1-800-444-4381
To Fax: 1-800-771-2232

Maryland
1-800-638-8672
To Fax: 1-888-568-2825

Alabama
1-800-476-4343
To Fax: 1-888-568-2825

2009 Equipment & Tax Savings Opportunity!

HENRY SCHEIN®
FINANCIAL SERVICES
Business Solutions for Healthcare Practitioners

Use Section 179 of the IRS tax code to acquire up to $250,000 in capital expenditure in 2009

Section 179 encourages small-business owners to invest in equipment or technology by allowing you to deduct a substantial amount of the asset's value the first year. Taxpayers who acquire new equipment – including machinery, furniture, fixtures and off-the-shelf software – may be able to deduct up to $250,000 of the value during the first year of ownership. **Purchases over $250,000 qualify for 50% Bonus Depreciation.** Standard first-year MACRS deduction applies to the remaining amount up to $800,000.*

Use the Section 179 deduction to decrease your tax payments and increase cash for your other needs!*

Your future is our success
- We are fair and ethical with our financial support; our goal is a long-term relationship

Fast & easy approval process
- We understand your schedule; we make our process convenient and easy to understand

Customized programs
- Not every office is the same; we listen to your needs and goals. What is best for you, we do

Total Practice Financing
- Financing for equipment, computers, cabinetry, office furniture

	Equipment Purchase Example One	Equipment Purchase Example Two	Your Numbers
a. Equipment Price	**$15,000**	**$300,000**	
b. Section 179 Deduction	$15,000	$250,000	
c. 50% Bonus Depreciation (a - b x .50)	$0	$25,000	
d. 2009 MACRS Deduction (a - b - c x .20)	$0	$5,000	
e. Total 1st Year Tax Deduction (b + c + d)	$15,000	$280,000	
f. Combined Federal & State Tax Bracket	38%	38%	
g. Total 2009 Tax Savings as a Result of Capital Expenditure (e x f)*	**$5,700**	**$106,400**	

SUMMARY:

h. Equipment Price	**$15,000**	**$300,000**
i. Tax Savings* (from g)	**$5,700**	**$106,400**
New Equipment Net Cost	**$9,300**	**$193,600**
Amount Paid to the IRS if You Do NOT Acquire Equipment	**$5,700**	**$106,400**

1-801-446-1185
or e-mail: hsfs@henryschein.com

* Henry Schein Financial Services or Henry Schein does not provide tax advice. Please check with your own advisors.

Henry Schein Financial Services is not a bank, does not represent itself as such, and does not conduct banking activities.
© 2009 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors.

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**
09VS1214

Equipment Financing

HENRY SCHEIN®
FINANCIAL SERVICES
Business Solutions for Healthcare Practitioners

Build a Secure Future With Practice Financing Options from Henry Schein Financial Services

Our low-cost, full-service equipment and practice-financing capabilities give you the options you need to move your business forward. Our nationwide specialists offer their expert advice and support with your best interests in mind.

- Low rates
- Simple application process
- 60-minute approvals
- Flexible programs

Henry Schein Financial Services is not a bank, does not represent itself as such, and does not conduct banking activities.
© 2009 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors.

1-801-446-1185
or e-mail: hsfs@henryschein.com

Table of Contents

**Equipment Checklist 4
Anesthesia.....5–7
Autoclaves 8–9
AVImark 28–29
Cages/Cabinetry/Tables 10–14
Centrifuges 15

Dentistry
-Dental Equipment 16–21
-Dental X-Ray 22–26
-Dental Instruments 27

Diagnostics
-Diagnostic Instruments 30–33
-Diagnostic Analyzers 34–36
-Diagnostic Monitors 37–39

Grooming 40–43
Instruments – Surgical.....44
I.V. Pumps.....45
Lights 46–48
Microscopes 49
Monitors 50–54
Patient Warming 56–57
Scales 58
Surgical Equipment 59
Ultima Dental Units 16–17,
X-Ray & Digital Imaging.....60–61
Office Design Solutions 62–63

Mention Promo Code VK to ensure promotional pricing.
Pricing valid through December 31, 2009

Please note: All NLS item codes featured in blue.

EQUIPMENT CHECKLIST

Anesthesia
- ☐ Anesthesia Machine
- ☐ Anesthesia Masks
- ☐ Anti-Spill Device
- ☐ CO2 Absorbent
- ☐ Endotracheal Tubes
- ☐ Hoses & Connectors
- ☐ Induction Chambers
- ☐ Isoflurane or Sevoflurane
- ☐ Oxygen Concentrator
- ☐ Pop Off Occlusion Valve
- ☐ Pressure Alarms
- ☐ Scavenger Systems
- ☐ Vaporizer

Autoclaves and Cleaners
- ☐ Autoclave Cleaner
- ☐ Autoclave Pouches
- ☐ Autoclave Tape
- ☐ Automatic Autoclaves
- ☐ Manual Autoclaves
- ☐ Ultrasonic Cleaner
- ☐ Water Distiller

Cabinetry
- ☐ Cabinets
- ☐ Casework
- ☐ Wet/ Prep Cabinets
- ☐ Work Stations

Cages
- ☐ Cat Condos
- ☐ Chart holders
- ☐ Coated Cage Floors
- ☐ I.V. Hooks
- ☐ Modular Cage Units
- ☐ Oxygen Therapy Doors
- ☐ Stainless Steel Bowls

Critical Care
- ☐ Convention Warming Systems
- ☐ Intensive Care Cages
- ☐ I.V Fluid Pumps
- ☐ I.V Fluid Warmers
- ☐ Mobile Lift Tables
- ☐ Stretchers
- ☐ Vinyl Circulator Pads

Dental Equipment
- ☐ Dental Station (Air Driven- Ultima Units)
- ☐ Dental X-Ray System
- ☐ Digital X-Ray System
- ☐ Digital Dental Imaging
- ☐ Miltex Perio Kit
- ☐ Niemiec Vet Extraction
- ☐ Prophy Angles
- ☐ Prophy Cups
- ☐ Prophy Paste
- ☐ Scaler/Polisher Tabletop Unit
- ☐ Wet Tables
- ☐ Winged Elevator Kit
- ☐ X-Ray Film

Exam Diagnostics
- ☐ Exam Room Tables
- ☐ Handheld Ultrasound
- ☐ Ophthalmoscope
- ☐ Otoscope
- ☐ Panoptic
- ☐ Procedure Headlight
- ☐ Scales (Platform/Small Animal)
- ☐ Stethoscope
- ☐ Thermometers/cover
- ☐ Tono-Vet
- ☐ Videopath

Grooming
- ☐ Brushes
- ☐ Cage Dryer
- ☐ Clippers
- ☐ Clipper Blades
- ☐ Clipper Lube
- ☐ Combs
- ☐ Deshedding Tools
- ☐ Grooming Tables
- ☐ Grooming Tubs

Laboratory Diagnostics
- ☐ Blood Tubes
- ☐ Blood Tube Rocker
- ☐ Centrifuge
- ☐ Chemistry Analyzer
- ☐ Coagulation Analyzer
- ☐ Fecalyzers
- ☐ Glucose Monitor
- ☐ Hematology Analyzer
- ☐ Incubator
- ☐ Microscope & Slides

Laboratory Diagnostics (continued)
- ☐ Refractometer
- ☐ Stains and Jars
- ☐ Urine Analyzer

Lighting
- ☐ Combination Lights
- ☐ Exam Spot Lights
- ☐ Surgery Room Lights

Monitors
- ☐ Blood Pressure Monitors
- ☐ Capnographs
- ☐ Monitor Cardiofax
- ☐ Multiparameter
- ☐ Printer/Paper
- ☐ Pulse Oximeter
- ☐ Replacement Cuffs
- ☐ Replacement Sensors

Surgical Equipment
- ☐ Electrosurgical Units
- ☐ Forceps/Needle holders
- ☐ Instrument Packs
- ☐ Retractors/Clamps
- ☐ Scissors/Hemostats
- ☐ Surgical Tables
- ☐ Sutures & Adhesives

Tables
- ☐ Exam
- ☐ Lift Tables
- ☐ Surgery
- ☐ Wet Prep Tables

X-Ray Supplies
- ☐ Aprons/Gloves
- ☐ Automatic Processors
- ☐ Cassettes
- ☐ Developer/fixer
- ☐ Digital X-Ray System
- ☐ Film
- ☐ Illuminators

Ask about our Hospital Design & Financial Services

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

09VS1214

Matrx by MIDMARK

VME2™ Anesthesia Machine

Places all anesthesia equipment on one sleek, compact post. Optional add-on components allow the addition of a second flowmeter, second vaporizer, occlusion valve with safety relief, and/or an emergency air intake valve.

- Dual-view oxygen flowmeter (glass tube with fused scales reading from 0.2 lpm–4 lpm) quickly switches from standard to magnified view at the touch of a finger
- Easy-to-view inhalation/exhalation valves allow easy monitoring of respiration for patient safety
- Oxygen flush
- 1100-cc CO_2 absorber
- Dome-type inhalation and exhalation valves; no tools needed to disassemble
- Scavanging/adjustable pressure-limiting valve
- -60 cm to +60 cm H_2O pressure gauge
- 15-mm and 22-mm diameter corrugated breathing circuits
- 1-liter and 2-liter breathing bags
- Portable stand with 5-leg spider base and casters
- Convenient accessory shelf
- Accepts TEC3 and VIP 3000™ vaporizers (single-mounting kit included)

#91805111
(143-1362) 109686 .....ea **$1,795.00**
Vaporizer not included.

Matrx by MIDMARK

VMS™ Anesthesia Machine

- Dual view oxygen flowmeter - glass tube with a fused scale reading from 0.2 to 4 lpm - quickly switch from standard to magnified view at the touch of a finger.
- Easy-to-view inhalation/exhalation valves allow easy monitoring of respiration for patient safety
- Automatic air intake valve - opens to provide room air to patient if contents of breathing bags are depleted
- Oxygen flush
- CO_2 1500cc absorber with "Quick Release" lever feature for easy absorbent replacement (accepts pre-pack canisters or 1350gm loose absorbent)
- Dome-type inhalation and exhalation valves - no tools needed to disassemble
- Scavenging/adjustable pressure limiting valve
- -60 to +60 cm H_2O pressure gauge
- 15mm and 22mm diameter corrugated breathing circuits
- One- and two-liter breathing bags
- Chrome portable stand with 5-leg spider base and casters
- Accepts VIP 3000 and TEC 3 vaporizers (mounting kit included)
- Oxygen low-flow flowmeter or nitrous oxide flowmeter add-on capability
- 3-year warranty

#91800003, VMS without Shelf
(564-3201) 101840.....ea **$2,419.00**
#91800081, VMS Plus with Shelf
(564-7205) 109685 .....ea **$2,575.00**
Vaporizers & Scavenger not included.

NEW!

SurgiVet™

SurgiVet® Universal CDS 9000 Series Small Animal Anesthesia Machine

Unique Features:

- Universal anodized aluminum block with built-in inhalation/exhalation valves
- Pop-off valve maintains a passive breath in the rebreathing bag for ease of use
- Fresh gas port
- 200 mL to 4 Liter O_2 flowmeter
- Easy, quick-change absorber canister
- 2 built-in handles for ease of mobility
- Powder coated for quick and easy cleaning
- Adaptable to all styles of vaporizers
- 5-year warranty

Items Included:
32359B3 F-Circuit with 2-Liter Bag
32359B6 Modified Jackson Rees with ½-Liter Bag Sodasorb® CO_2 Absorbent Refill Bag (2.2 lb)
V7309 Pop-off Occlusion Valve
WWWV1932 Operation Manual
Vaporizer not included.

WWV9000, Single Flowmeter
(113-5380) 170650.....ea **$1,949.00**
WWV9001, Dual Flowmeter
(113-5384) 170651.....ea **$2,399.00**
Tabletop Model
WWV9010, Single Flowmeter
(113-4465) .....ea **$1,689.00**

Please note: All NLS item codes featured in blue.

SurgiVet™

AES Gas Evacuation System
Safely and actively removes waste gas associated with everyday inhalation anesthesia.
Features:
- Installs easily on anesthesia machine pole or to a wall
- 2 standard 19-mm inlets and 1 exhaust port allow easy installation
- Long electrical cord and lightweight tubing allow anesthesia machine to be located exactly where it's needed
- Waste gas is collected by passive flow to AES, after which a push blower removes it
- Blower has capacity to push waste gas more than 150'
- Green light indicates whether AES is on or off

#V7300
(923-5065) 113243 .....ea **$465.00**
Contains: 15-mm diameter 3' precut hose, 15-mm diameter 10' precut hose (#32292B1), & ½" PVC adapter (#V7311).

VETROSON® Active Anesthesia Scavenger
Eliminates trace anesthetic gases from operating room. Meets scavenging requirements of any multimachine facility up to 18 machines, regardless of their location.
(192-1356) 103809 .....ea **$1,595.00**
Contains: 1 power unit, 1 scavenging interface, & 1 Carrier-Air inlet valve.

Adaptive Ozone Solutions, Inc.

Oxygen System
Adaptive Ozone Solutions
Stand-alone unit that generates 90–94% pure oxygen at a flow rate of 20 liters per minute (45 SCFH) up to an output pressure of 90 psi.
#OXS-045-2
(109-2911) 167966.....ea **$14,575.00**
Contains: oxygen purity monitor & alarm.

JorVet™

Oxygen Concentrators
An ideal and innovative system for supplying oxygen to anesthesia machines and for emergency oxygen needs. This concentrator will extract medical-grade oxygen directly from the air and deliver it to a desired location.
- Oxygen pressure: 5 psi (37.9 Kpa) minimum
- Oxygen concentration: 95%–92% at 0–3 lpm; 95%–90% at 3–5 lpm

J744a, 10-lpm Flow Rate
(106-3766) 163451 .....ea **$2,239.00**

VETROSON® Oxy-Gen Generator
Pressure Swing Adsorber (PSA) Oxygen Generator System
This system is straightforward: Air is drawn into a powerful compressor in the generator. The oxygen is separated from the compressed air by passing through either of the 2 molecular sieves. There the nitrogen is absorbed at a high pressure and is released at low pressure. The oxygen is delivered to the receiver tank where it is ready to be delivered throughout the hospital. The system has the capability of delivering 14,000 liters of oxygen at 20 psi in a 24-hour period.
#VGS1000
(106-8904) .....ea **$5,950.00**

Please note: All NLS item codes featured in blue.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825

SurgiVet™

Classic T3™ Vaporizers
This classic vaporizer series features a precision-style, out-of-circuit, single-agent-use vaporizer that is temperature and flow compensated. Each vaporizer is clearly labeled with the name of agent to be used, and the site glass provides easy viewing of liquid volume. The fill assembly is a one-piece design with no solder joints, which eliminates leak points.

#VCT302, Isoflurane Funnel Fill Vaporizer
(109-8226) 167722 .....ea **$1,149.00**

Call for other available options.

Matrx by MIDMARK

VIP 3000™ Vaporizer
Safe and Reliable
- Temperature/flow compensated to ensure output concentration
- Calibrated dial with detents for precise adjustment
- Safety lock to prevent unintentional engagement
- Large sight glass for easy liquid level checks
- 3-year warranty

#91305430, Isoflurane
(564-9913) 103767 .....ea **$1,089.00**
Available in Well-fill and Key-fill models.

Matrx by MIDMARK

Small Animal Induction Chamber
18.5 liter
#93800038
(564-2226) 100707 .....ea **$205.00**

JorVet™

Buster ICU Cages
Affordable intensive care unit that folds up into a small nylon bag for storage after use.
- Controlled oxygen therapy
- Can double as an anesthesia chamber
- Collapsible for daily storage and setup anywhere
- PVC lined for easy cleaning
- Clear vinyl window covers for visualization
- Either warmth or cooling can be provided with reusable gel packs
- Accessories: oxygen accessory kit, 6 color-coded venture oxygen delivery nozzles, small nebulizer, connecting T-piece, 7' (2.1 m) oxygen tubing, Buster kennel mattress, and gel packs

Exotics, Cats, Small Dogs
Small
18"W x 13"D x 13"H, 5 liters, Weight: 4.6 lb (2.1 kg)
(110-2231) 169206.....ea **$220.00**
Medium
24"W x 18"D x 18"H, 121 liters
(110-2232) 169208.....ea **$260.00**
Large
44"W x 26"D x 26"H, 464 liters
(110-2229) 169209.....ea **$470.00**

smiths medical
bringing technology to life

Soda Sorb (Lime) Crystals
For use in absorber jars of anesthetic machines.
3-lb Bag
(343-5532) 115687 .....ea **$8.25**

F/Air Canister
Anesthetic gas filter with life of 12–15 hours.
(310-7265) 101860.....ea **$7.00**



JorVet™

Breathe Safe Respiration Monitor
This tiny device makes a great apnea alert monitor. Small microprocessor beeps with every high-sensitivity breath.
(568-1279) 161464 .....ea **$199.00**

Please note: All NLS item codes featured in blue.

tuttnauer

EZ9, EZ10, and EZ10K Fully Automatic Autoclaves

Fill, sterilize, exhaust, and dry at the touch of a button. Innovative closed-door drying cycle maintains sterility and ensures efficient drying of packs and pouches.

- Contemporary design with easy-to-read display panel
- Preloaded cycles for unwrapped instruments, wrapped/packs, liquid, and additional drying cycle
- All program parameters can be changed and stored
- Power-outage recovery system
- HEPA-filtered air circulated in chamber after sterilization cycle to dramatically reduce drying time and overall cycle times
- Chamber door remains closed during entire drying cycle, which eliminates risk of airborne pathogens from entering chamber and contaminating instruments after sterilization cycle
- One-touch, fully automatic operation: forget it once you set it
- Optional printer available
- 2-year parts and labor warranty, 10-year chamber warranty

EZ9, 9" x 18"
(668-0401) 118002 .....ea **$3,685.00**

EZ10, 10" x 18"
(668-0402) 118212.....ea **$4,169.00**

EZ10K Kwiklave, 10" x 19"
(668-0444).....ea **$4,399.00**

Kwiklaves are fast-cycle models that reduce total sterilization cycle time by 50%. They require voltage from 220 to 235.

tuttnauer

Manual Autoclaves

- Sterilization and separate drying cycles feature automatic shutoff
- Stainless steel chamber ensures long life and easy cleaning
- Stainless steel door with double safety-locking device
- Dual safety thermostats to protect against overheating of heating elements in case of insufficient water in chamber
- Drain valve located on the front, allowing for quick-and-easy drainage of water reservoir
- 1-year parts and labor warranty, 10-year chamber warranty
- External dimensions: 21.5"D x 20"W x 14.4"H
- Trays: 9" chamber size: 3 trays, 10" chamber size: 4 trays
- Chamber capacity: 9": 5 gal/19 L, 10": 6 gal/23 L

2340M Autoclave, 9" x 18"
(668-5221) 104941 .....ea **$2,999.00**

2540M Autoclave, 10" x 18"
(668-2477) 105134 .....ea **$3,529.00**

2540MK Kwiklave, 10" x 18"
(668-1769) 117330.....ea **$3,899.00**

Kwiklaves are fast-cycle models that reduce total sterilization cycle time by 50%. They require voltage from 220 to 235.

MIDMARK

M9 UltraClave® Automatic Sterilizer

Easy to use: Just press the Start/Standby button, and unit will automatically fill to correct water level. Once cycle is complete, door automatically opens. Indicator light illuminates when water level is low. Features a large-capacity reservoir fill spout and drain tube in the front of unit for easier filling and draining. 4 stainless steel trays are standard.

- Total cycle time (unwrapped): 22 minutes (cold start), 12 minutes (hot start)
- External dimensions: 16⅞"H x 15"W x 18$^{13}/_{16}$"L
- Chamber size: 9" Diam. x 15" Depth
- Chamber volume: 4⅛ gal (15.6 liters)
- Reservoir capacity: ⅞ gal (3.3 liters)
- Size of trays: 2 Small 12" x 5⅝" x ⅞"; 2 Large 12" x 7$^{5}/_{16}$" x ⅞"

Complete Unit
(386-1150) 105497.....ea **$3,999.00**

MIDMARK

M11 UltraClave™ Automatic Sterilizer

Large-capacity sterilizer for sterilizing trays and cassettes with automatic opening doors. Once cycle is complete, door automatically opens. LED display shows unit's temperature during heat up and the time remaining during cycles. Features a large-capacity reservoir plus a fill spout and drain tube in front of unit for easier filling and draining. 4 stainless steel trays included.

- Total cycle time (unwrapped): 27½ minutes (cold start), 15 minutes (hot start)
- External dimensions: 22⅜"H x 15⅝"W x 17$^{9}/_{16}$"L
- Chamber size: 11" Diam. x 18" Depth
- Chamber volume: 7⅜ gal (28 liters)
- Reservoir capacity: 1¼ gal (4.7 liters)
- Size of trays: 2 Small 15" x 6⅝" x 1⅛"; 2 Large 15" x 9⅛" x 1⅛"

Complete Unit
(386-9830) 107046 .....ea **$4,729.00**

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

09VS1214

ANDERSEN PRODUCTS

Anprolene Gas Sterilizer

This system offers gentle 100% EtO sterilization: room-temperature sterilization (minimum 68°F), no steam injection, no deep vacuum, and only 17.5 grams of gas. Improvements Include more powerful ventilation and purge pumps, unique active aeration system, digital display that tracks cycle progress, temperature sensor that monitors room conditions during each cycle, and a microprocessor that monitors cycle and automatically restores system in case of power failure.

#AN74IX

(606-6474) .....ea **$5,049.00**

tuttnauer

Chamber Brite™

Easy-to-use powdered autoclave cleaner in premeasured packets. Designed specifically for all full-chamber steam sterilizers. Effectively cleans and descales the reservoir, chamber, and copper tubing.

#CB0010

(668-4306) 110010 .....10/box **$39.00**

tuttnauer

Water Distiller 9000

Virtually pays for itself compared to bottled water purchases. Produces high-quality water by steam distillation. White with a contemporary design.

- Distillate capacity: 1 gal: 4½ hours; up to 5 gal: 24 hours
- 1-year warranty

(668-3242) 121234 .....ea **$359.00**

MIDMARK

Soniclean® Ultrasonic Cleaners

Quietest ultrasonic cleaner in the industry that can be placed on a countertop or recessed. The unique design of the stock transducers produces powerful cavitation. More power in the tank translates to cleaning instruments more efficiently. Extremely easy to operate: simply load instruments and turn the timer. CSA listed; TUV and FCC registered.

#M150, Tank Capacity: 1½ gal; Tank Size: 11½" x 6" x 6"

(102-5893) .....ea **$819.00**

Safety Basket

(386-4655) .....ea **$129.00**

#M250, Tank capacity: 2½ gal; tank size: 11½" x 9½" x 6"

(386-0250) .....ea **$1,049.00**

Safety Basket

(274-4747) .....ea **$229.00**

Required safety basket sold separately.

HENRY SCHEIN®

ULTRASONIC CLEANER WITH TOUCH PAD

One-touch, press-set digital pad timer in beige, vinyl-clad housing. Solid-state circuitry. Stainless steel drain with reversible right or left hookup. 43 kHz of cleaning power. Includes an FCC-approved EMI filter. 60-minute timer with infinity hold.

- Tank dimensions: 9⅜" x 5⅜" x 4"
- Tank capacity: 3⅜ qt
- 2½-year warranty

110-V Unit

(104-4057) 168817 .....ea **$285.00**

Accessory Package

(100-7900) 168884 .....ea **$89.00**

Contains: 1 stainless steel solid-side basket, 1 bur tray, 1 positioning cover, 2–600-mL beakers, 2 beaker covers, & 2 beaker bands.

Please note: All NLS item codes featured in blue.

Midmark Veterinary Equipment Solutions...make your life easier.

Midmark veterinary solutions provide you with the equipment you need to outfit your exam room, treatment room or dental suite, all from one trusted source. Let Midmark help you care for your patients without the worry of sourcing and maintaining equipment from multiple manufacturers.

There's nothing like peace of mind.

- Anesthesia
- Casework
- Dental Delivery
- Dental Imaging
- Exam, Prep & Treatment Tables
- Instrument Processing
- Lighting
- Monitoring
- Seating

Midmark is…efficient patient care. Contact your Henry Schein/NLS Representative or visit midmark.com for more information.

Midmark Corporation 60 Vista Drive, P.O. Box 286 Versailles, OH 45380-0286
1-800-MIDMARK Fax: 1-877-725-6495 midmark.com

MIDMARK®
Because we care.

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

09VS1214

NEW!

VSSI

Wall Hugger Folding Exam Table

An industry-exclusive design that conserves a maximum of exam-room space and increases safety.

- Folds to 4½" x 22" from the wall when not in use
- Provides a 44" x 22" exam surface
- Folding mechanism is counterbalanced to stay in place at any angle and is easily lifted
- Constructed of 20-ga type-304 medical-grade stainless steel for easy cleaning and durability
- Weight capacity of 150 lb to accommodate small or large animals

#101-2740-00
Stainless Steel
(113-5750) 171092.....ea **$985.00**

#101-2710-00
White Laminate Top
(113-2816) 171094.....ea **$925.00**

NEW!

VSSI

WOW! 23% thicker than industry standard!

Modular Cage

This 30" x 24" cage adds versatility to VSSI's custom cage configurations and is constructed of 20-ga, medical-grade stainless steel.

- Can be integrated into a variety of multiple-cage bank configurations
- Features heavy-duty reversible doors with strong door latches and hinges
- Industry-exclusive 1" radius corners for easy cleaning

#160-3024-00, 30" x 24"
(113-5753) 171095.....ea **$423.00**

VSSI, INC.
PRODUCTS DESIGNED BY VETERINARIANS FOR VETERINARIANS.
Founded on the experience of a veterinary practice - dedicated to the development of design alternatives that make veterinary healthcare so much easier - VSSI™ has created an equipment line packed with innovative designs and unique products.
Ask your sales representative about user friendly VSSI™ products that are built to last.
• Stainless Steel Cages and Modular Kennel Runs
• Modular Cat Condos
• Single-Unit Cabinetry and Island Workstations
• Patented Surgery Tables
• Electric Lifts, Exam and Treatment Tables
• Stainless Steel Tubs
• Scales and Scale-Top Products
plus Sinks, Faucets, Clinic Equipment, X-Ray Equipment, and all the accessories

Please note: All NLS item codes featured in blue.

SUBURBAN SURGICAL COMPANY, INC.

MADE IN THE USA

REALIZE Your Potential RETURN ON INVESTMENT
When You Use SUBURBAN SURGICAL PRODUCTS
Make Your Money Go Farther

SUBURBAN SURGICAL
QUALITY BOARDING & HOUSING EQUIPMENT
Can Help You Reach That Potential "ROI – Return On Investment" SOONER!

SUBURBAN SURGICAL SURGERY ROOM EQUIPMENT
Pays for Itself Quickly & Continues to
Create Revenue for Years to Come

SUBURBAN SURGICAL COMPANY, INC.
Manufactures Quality Equipment to Get You to Your Goal Quicker!
Call & Ask A Sales Rep to Work Out Your ROI on These Products and More!

www.suburbansurgical.com

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

SUBURBAN SURGICAL COMPANY, INC.

MADE IN THE USA

CAGE SIZES		
18W X 18H	30W X 30H	42W X 36H
24W X 18H	36W X 30H	48W X 36H
18W X 24H	42W X 30H	48W X 24H DD*
24W X 24H	48W X 30H	48W X 30H DD*
30W X 24H	24W X 36H	48W X 36H DD*
36W X 24H	30W X 36H	60W X 36H DD*
24W X 30H	36W X 36H	72W X 36H DD*

Regal Cage Features:

- Hidden 18-gauge stainless steel die-formed front frame makes the front of the cage extra strong
- 22-gauge Type 304 stainless steel body is heli-arc welded into one piece to create the strongest cage available
- .750 in. (1.90cm) coved rear corners on top and bottom eliminate accumulation of dirt and bacteria
- .750-in. (1.90cm) radius bends on all sides and back provides a smooth, easy-to-clean interior surface

REGAL CAGES NOW IN 21 SIZES & NUMEROUS STYLES

REGAL CAGE ARRANGEMENTS

1000s OF COMBINATIONS

Arrangements can be made with any style Regal Cage: Double Door, Clear Back, Front & Back Door or Heated.



www.suburbansurgical.com

Please note: All NLS item codes featured in blue.

Give your practice a lift!



Canis Major™ Wet & Dry Lift Tables

- Freestanding tables that require no bolting to floor or wall
- Perpendicular-to-wall design allows access to both long sides of the table
- Only the tabletop moves – the back and scale stay in place
- Available with or without scale
- Sturdy and well-balanced
- 300 lb load capacity

CMWO	Canis Major Dry Table without Scale	(108-0970) / 169861
CMWS	Canis Major Dry Table with Scale	(705-0774) / 169862
CMDT-45	Canis Major Wet Table, 45" without Scale	(108-6858) / 169857
CMDT-60	Canis Major Wet Table, 60" without Scale	(108-6416) / 169858
CMDT-WS-45	Canis Major Wet Table, 45" with Scale	(108-6859) / 169859
CMDT-WS-60	Canis Major Wet Table, 60" with Scale	(108-6839) / 169860

MIDMARK

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

09VS1214

UNICO

PowerSpin™ FX Centrifuge

Features a 6-place angled rotor designed for 2–10 mL tubes (maximum tube size up to 16 mm x 110 mm) and a fixed speed of 3400 rpm, generating 1350 RCF (g) for superior specimen separation. Set the 0–30-minute timer to desired run length.

#C-806

(715-5981) .....ea **$209.00**

UNICO

Micro-Hematocrit Centrifuge

This powerful centrifuge, with all-metal housing, spins up to 24 micro-hematocrit tubes at 12,000 rpm. Tubes are held in place with a screw-down metal lid and replaceable rubber gasket/ring. The 15-minute mechanical timer has a bell tone to signal a completed run, while the electronic brake can stop the unit on demand. The metal lid features a safety-lid latch that cuts engine power if the lid is lifted. The unit comes complete with a metal hematocrit reader tray. 1-year warranty.

#C-MH30

(715-0877) .....ea **$779.00**

UNICO

PowerSpin™ LX Centrifuge

Spin blood, urine, fecal materials, or semen at the best speed for each type of specimen with this powerful, variable-speed 6-place centrifuge. Maintenance-free, brushless motor runs quietly at a fixed speed up to 4000 rpm, emitting only 58 dB, all with low temperature rise. Suction-cup rubber feet hold unit firmly in place and virtually eliminate vibration. Lid features a gasket to reduced aerosol emission, a window for strobe speed check, and a safety interlock switch that cuts power to the motor if lid is raised. Angled rotor accepts 2–10-mL tubes (maximum tube size 16 mm x 110 mm). Accessories available upon request: 8-place rotor and pediatric tube adapters.

#C-856

(715-2656) .....ea **$299.00**

JorVet™

Ultra Select Centrifuge

Uses the correct CLIA-recommended speeds for proper separation. Cell structures will not be damaged due to excessive G-forces and proper separation will always be achieved for urine, semen, fecals, blood, etc. Features a four-position speed dial to select the correct speed for each fluid.

Specifications:

- Speeds: blood–3300 rpm, 1314 G; fecals–1500 rpm, 275 G; urine/semen–1800 rpm, 400 G; and others–800 rpm, 80 G
- Auto-off: 30-minute timer with bell
- 110 V AC (220 V available)

#J501W

(132-9360) 117196.....ea **$429.00**

BD

Triac® Multifunction Centrifuge

3 speeds for 3 procedures: blood separation, microhematocrits (directly read), and urine sedimentation. Color-coded controls eliminate procedural errors.

- MHCT interlock switch and lid safety switch
- Electric brake and timer
- Quiet operation
- Durable construction
- Capacity: Blood: 8 tubes (15 mL, 10 mL, and 7 mL); Urine: 8 tubes (17 mm x 20 mm); and MHCT: 12 tubes (maximum 75-mm length)
- Speed/time: Blood: 3500 rpm/5 min; Urine: 2300 rpm/6 min; and MHCT: 10,400 rpm/3 min
- Specifications: 10"H x 14"D; weighs 24 lb
- Operates at power: 140 V AC, 60 Hz

(168-5978) 100491 .....ea **$4,145.00**

JorVet™

Horizontal Swing-Out Centrifuge

Spins 3 mL–15 mL test tubes up to 17 mm x 128 mm at speeds of up to 3000 rpm. Select either blood, urine, or fecals in the speed control, set the 30-minute timer, and the swing-out select will spin at the correct speed. 110-V motor, 8-test-tube capacity, and front-access calibration panels.

(109-8905) 169760 .....ea **$1,710.00**

JorVet™

Swing-out Select Centrifuge

Tighter straight-line gel separations reduce respins and remixes. Spun fecal flotations produce much higher ova recovery results when spun with coverslips on top of test tube. Centrifuge spins 3-mL–15-mL test tubes, up to 17 mm x 128 mm at speeds of up to 3000 rpm. Select either Blood, Urine, or Fecals on the speed control, set the 30-minute timer, and centrifuge will spin at the correct speed

Specifications:

- Front-access calibration panel
- Brushless, maintenance-free, 110-V motor (220-V brushed motor available)
- 8-test-tube (3-mL–15-mL) capacity
- 4-place 50-mL rotor available
- Maximum tube size: 17.5 mm x 133 mm
- Includes 3-prong power cord, 8 tube shields, and 8 tube cushions (for shorter tubes)
- Dimensions: 12"H (305 mm), 18"L (457 mm), 14.5"W (368 mm)
- Weight: 33 lb (15 kg)

#J501SN

(109-7784) 168335 .....ea **$899.00**

Please note: All NLS item codes featured in blue.

THE VET-BASE ULTIMA 500 SERIES

HENRY SCHEIN® Vet-Base® ULTIMA SERIES

Maximize Your Return On Investment...
With at least 2 additional procedures per week, the Vet-Base Ultima can pay for itself in as little as 3 months.



Choose a Model!
•
Choose a Low- & High-Speed Handpiece Combo!

Dimensions:
31¾" H, 18" W, 20" L

Standard Features on all Ultima Dental Units

- Silent cooling fan that blows air down and away from unit
- Dual water/chlorhex system
- Hinged control panel
- Internal 6-outlet electrical strip
- Water female quick disconnect for ultrasonic scaler
- Color-coded air lines
- Third air line for sonic scaling capability
- Large internal shelf
- All units enclosed in white fiberglass shell
- 2-year warranty ***(Handpieces sold separately)***
- Includes instructional DVD featuring Dr. Dan Carmichael, Dipl. AVDC

3 Models Available

ULTIMA 500
(362-1875) 169113.....$4,334
- Single head ½-horsepower silent air compressor
- High-speed air line
- Low-speed air line
- 3-way air/water syringe

ULTIMA 500 IIS
(362-3530) 169114.....$5,854
- Double head 1-horsepower silent air compressor
- High-speed air line
- Low-speed air line
- Suction and 3-way air and water syringe

ULTIMA 500 IISF
(362-4967) 169115.....$6,366
- Double head 1-horsepower silent air compressor
- Fiber-optic high-speed air line
- Low-speed air line
- Suction and 3-way air and water syringe

ADD A BUILT IN PIEZO SCALER TO ANY ULTIMA 500 SERIES
Piezo–Scaler with 3 Tips
(362-3482) 169116.....$1,549

LED Piezo–Lighted Scaler with 3 Tips
(111-6062) 170096.....$1,891

Why a double compressor over a single compressor?

- A double compressor will compress twice the amount of air in half the time, resulting in longer compressor life
- Busy practices will find that a double compressor will allow them to practice dentistry all day long with no fear of overheating the compressor

Options Available for Ultima Dental Units

- Built-in Piezo Ultrasonic Scaler
- Fiber-optic air lines can be added to any unit
- Units can be ordered with straight or coiled air lines

HENRY SCHEIN® Vet-Base® ULTIMA 2000™

Ultima 2000
The ONLY Dental Unit/Wet Table available in the Industry!
- Built-in fold-down table
- Innovative drainage system that puts a wet table anywhere
- On-board Whisper-quiet Silent Surge Compressor
- Dimensions: 36½"H x 24"W x 36"L (folded), 58"L (extended)

(362-3829) 169106 .....$8, 157

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

09VS1214

HENRY SCHEIN® Vet-Base® ULTIMA 250™

STANDARD FEATURES ON THE ULTIMA 250 TABLE TOP

- Three-handpiece automatic control head with three-way syringe
- Compatible with any pressurized air system (e.g., compressor, nitrogen, etc.)
- Removable top allows greater access to internal components
- Dual clean-water system–the unit uses 2 one-liter bottles allowing the use of chlorhexidine in one bottle and distilled water in the other
- Bottle selector switch allows changeover from one bottle to the other so that chlorhexidine can be flushed from the system
- Water-out quick-disconnect allows any ultrasonic scaler to be attached to the unit's pressurized water system
- Color-coded high-speed and low-speed air lines and accessories
- Units can be installed with fiber optics and piezo scaler as options
- Suction cup feet for additional stability
- Very portable
- 2-year warranty

(Handpieces sold separately)

ULTIMA 250	(362-9864)	169109	$2,344
ULTIMA 250 W/FIBER OPTICS	(362-2502)		$2,856
ULTIMA 250 W/PIEZO SCALER	(362-2503)	169110	$3,793
ULTIMA 250 W/PIEZO SCALER & FIBER OPTICS	(362-2504)	169112	$4,305

LEASE FOR 36 MONTHS
You own it for $1.00 at the end of the lease!

Great for small work spaces –
this unit measures only
16" high, 11" wide, and 10" deep

HENRY SCHEIN® Vet-Base® ULTIMA 250™ ARM

Great for small work spaces–
this unit measures only 2" high, 11" wide, and 10" deep.

WALL OR POLE MOUNT

- Three-handpiece automatic control head with three-way syringe
- Compatible with any pressurized air system *(e.g., compressor, nitrogen, etc.)*
- Removable top allows greater access to internal components
- Dual clean-water system–the unit uses 2 one-liter bottles allowing the use of chlorhexidine in one bottle and distilled water in the other
- Bottle selector switch allows change over from one bottle to the other so that chlorhexidine can be flushed from the system
- Water-out quick-disconnect allows any ultrasonic scaler to be attached to the unit's pressurized water system
- Color-coded high- and low-speed air line and accessories
- Comes standard with 12" arm in wall or pole mount (for installing onto an anesthesia machine
- Units can be installed with fiber optics and piezo scaler as options
- 2-year warranty

(Hand pieces sold separately)

DESCRIPTION	POLE MOUNT	WALL MOUNT		
ULTIMA 250 ARM	(362-7764)	(362-5518)	169107	$2,417
ULTIMA 250 ARM W/FIBER OPTICS	(362-8325)	(362-9830)	170123	$2,929
ULTIMA 250 ARM W/PIEZO SCALER	(362-7935)	(362-9120)	169108	$3,866
ULTIMA 250 ARM W/FIBER OPTICS & PIEZO SCALER	(362-5789)	(362-7364)		$4,379

Please note: All NLS item codes featured in blue.

The Cocoon Spray Scaler/Polisher Combo
Piezo scaler plus electric micro-motor device (40,000 rpm) with external spray.
#F24484V
(113-5748).....ea **$2,029**

MTI Precision Products
For Polishing
Lynx Prophy Nose Cone, Green
0-5,000 rpm
(101-9965) 167589.....ea **$109.00**

For Cutting and Sectioning
KaVo 80 ES Low-Speed Handpiece
0-20,000 rpm
(628-4253).....ea **$429.00**
Must purchase "E" type nose cones separately.

Universal #1
For treating simple and gross supragingival scaling.
FOO246
(102-5205) 167556.....ea **$85.00**

Beavertail #2
For removing voluminous supragingival deposits.
F0024
(107-5331) 169293.....ea **$85.00**

Subgingival #10Z
Thin tip for subgingival scaling.
F00254
(107-8221) 167821.....ea **$105.00**

Suprasson® P5 Veterinary Scaler
Powerful, Compact, P-5 Piezoelectric Veterinary Scaler
- Uses piezoelectric technology for more power, flexible regulation, and faster speed with less heat
- 1 control button allows clinician to adjust power for 3 different operating modes: Soft, for treating pockets and root planing; Medium, for subgingival scaling or endodontics; and Boost, for supragingival scaling
- Linear movement of ultrasonic tips allows for perfect control of clinician's movements and is less damaging to enamel
- Color-coded, screw-on tips are less expensive to replace and come in more than 40 styles
- Cavitation-generated unit accelerates mechanical elimination of calculus and deposits and offers a bacteriostatic effect

#F58829V
(437-3665) 167403.....ea **$995.00**
Contains: scaler & 3 ultrasonic tips.

VETROSON ® Millennium 25/30 Ultrasonic Scaler and Accessories
Accepts superior 30-kHz inserts as well as standard 25-kHz inserts. Patented, detachable, heat-resistant sheath twists off for autoclaving. May be adjusted to a low power setting for perio work or full power for scaling, and features excellent cavitation and spraying patterns at both settings. Current scalers with one power setting cannot be used for working under gums.

Scaler, Complete Basic Unit
(192-9296) 104531 .....ea **$1,099.00**
Contains: 1 VETROSON unit, 1–30-kHz VETROSON "SS" #10 insert, 1–30-kHz VETROSON "SS" universal perio insert, 1 disposable filter, & 1 quick-disconnect water hookup.

Portable Water Tank
(192-7097) 106297 .....ea **$95.00**

"SS" Inserts .....ea **$125.00**
Specify:
#3, 25 kHz.....106686 **(192-4521)**
#3, 30 kHz.....122559 **(192-6417)**
#10, 25 kHz.....103551 **(192-5716)**
#10, 30 kHz..... 111263 **(192-7126)**
Universal Perio
"SS" Insert, Universal Perio, 30 kHz
(192-3284) 110247 .....Ea. **$139.00**

Please note: All NLS item codes featured in blue.

VETROSON® Millennium Motor Pack
Used to clean and polish teeth following a scaling. Also used to reshape broken teeth and clean out existing cavities. Lightweight micromotor handpiece has a variable speed up to 20,000 rpm, and measures 4" x ¾". 5-year warranty.
#VUA5000, Complete System
(192-8895) 109683 .....ea **$849.00**
Contains: handpiece, snap-on prophy angle, VETROSON snap-on polishing cups, VETROSON prophy paste, & VETROSON cleaner/lubricator solution.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825

Quality Veterinary Dentistry and Oral Surgery

Providing quality veterinary dentistry and oral surgery in the general practice today requires proper technique and equipment. Periodontal disease is by far the most common oral disease treated in specialty and general practice. Proper recognition of periodontal pathology is essential and cannot exist without the aid of periodontal probing and dental radiography. Once determined, pathology must be approached therapeutically by veterinarians who have had proper training and practice at veterinary dental continuing education programs. This knowledge combined with periodontal hand instrumentation and a high speed delivery system provides delivery of quality veterinary dental care for your patients. Without all of these components quality care is not possible.

Extraction of compromised teeth constitutes a large portion of veterinary dental procedures. Mobility is only one sign that extraction is indicated. Many teeth have undergone significant bone destruction requiring extraction long before mobility is an issue. Without the aid of periodontal flaps and removal of bone, many extractions would be very difficult and time consuming.

High speed delivery systems utilize handpieces designed to mount carbide burs and facilitate removal of vestibular bone and sectioning of multi-rooted teeth ensuring minimally traumatic and efficient extractions. Common indications for high speed delivery systems include enamel defect repair prior to restoration placement, restoration contouring, smoothing bone, cutting bone for maxillectomy, mandibulectomy, odontoplasty, acrylic contour in oral fracture management, root canal access.

Slow speed handpieces, air water syringes and piezoelectric scalers are valuable functions that add diversity to high speed delivery systems. These devices aid the practitioner in procedures from dental prophylaxis to root canal therapy and augment the high speed component in many of the procedures listed above.

Today's quality practices rely on practitioner knowledge, skill and appropriate dental equipment to provide the best in veterinary dental care. Veterinary dental radiography and high speed delivery systems represent the foundation of quality equipment required for providing proper veterinary dental therapy.

Brett Beckman, DVM, FAVD, DAVDC, DAAPM
Veterinary Dental Courses and referral information at
www.veterinarydentistry.net
Referral cases in Atlanta, Orlando and Punta Gorda, Florida

Dr. Brett Beckman is a 1987 graduate of Mississippi State University and is acting President of the American Veterinary Dental Society. He holds advanced degrees as a Fellow in the Academy of Veterinary Dentistry, a diplomate in the American Veterinary Dental College and a diplomate in the American Academy of Pain Management and has published numerous peer-reviewed articles in those fields. Dr. Beckman was honored as Alumnus of the Year by the Mississippi State University College of Veterinary Medicine in 2007. He owns and operates a companion animal and referral dentistry and oral surgery practice in Punta Gorda, Florida and also sees referral cases in Orlando, Florida and Atlanta, Georgia. Dr. Beckman operates the Veterinary Dental Education Center in Punta Gorda, Florida, a teaching facility dedicated to advancing the educational needs of veterinarians and veterinary technicians around the world in the field of dentistry and oral surgery.

The Veterinary Dental Education Center
FALL COURSES

Veterinary Dental Technician Weekend
September 19th & 20th 2009

Periodontology/Oral Surgery
September 26th & 27th, 2009

Periodontology II/Oral Surgery II
October 3rd & 4th, 2009

Feline Dentistry
Fall Retreat In Southwest Florida
October 10th & 11th, 2009

For Spring Courses see **www.veterinarydentistry.net**

09VS1214

To Order from Henry Schein, Call: **1.800.872.4346** 8am–9pm, et • To Fax: **1.800.483.8329** 24 Hrs
www.henryschein.com/veterinary

HENRY SCHEIN® Vet-Base® ULTIMA

How are you sectioning teeth?

TOP 10 REASONS TO OWN A VETBASE ULTIMA DENTAL UNIT

1. High-speed offers rapid, efficient cutting of the tooth and/or supporting bone and increased control ensures less trauma to the oral cavity. At 450,000rpm, it's like a hot knife through butter!

2. Increased efficiency means quicker procedures – less anesthesia time for the patient, more time for you to do other things.

3. High-speed handpieces automatically deliver an irrigating spray over the field. This cools the tooth and bone while clearing the blood and debris for better visibility. No need to tie up an assistant to irrigate while you work.

4. The 3-way air water syringe is great for rinsing the oral cavity, irrigating the gingival sulcus, and drying the tooth.

5. It meets the equipment recommendations of the AAHA Dental Care Guidelines for Dogs and Cats.

6. It is the easiest, fastest way for a practice to increase revenue. Every client that comes in has potential for dentistry.

7. Ultimas are extremely reliable, require low maintenance, have a long operational life.

8. This all-in-one unit – High Speed Drill, Polisher and Scaler – with on-board pressurized water system can be conveniently moved and used wherever you need it!

9. With only more 2 dental procedures/week, Ultimas can pay for themselves in as little as 3 months – and then last for 15 years or more!

10. Air equipment makes the dirtiest and least enjoyable job in the veterinary hospital faster and easier. Faster and easier means more dentals, increased revenue and better medicine!

Putting Dentistry Into Practice
Ultima Dental Unit Profit Potential

80 percent of dogs and cats show signs of oral disease by age three, according to the American Veterinary Dental Society (AVDS). A typical practice has about six to seven hundred dogs and cats needing immediate dental care.

New Ultima owners typically double the amount of dental procedures being performed right away.

		Current	Projected
Potential dental patients **per week** (numbers for example only)		**3**	**6**
Total dental patients per year (on a 50 week yr)		150	300
Average dental charge (prophylaxis, simple extraction) according to AAHA study 2005		$270.00	$270.00
Costs			
Administrative (based on 15 minutes at $15/ hour)	$3.75		
Labor per hour (1 Technician and an average dental takes 1hr)	$20.00		
Materials (Anesthesia, Pain Management, Disposables (gloves, mask, burs, dental charts, paste, gauze and syringes)	$18.00		
Cost Total = $41.75		$41.75	$41.75
Cost of Ultima High Speed Dental Unit (Ultima 500IISF w/Piezo + Handpieces)			**$8,400.00**
Income			
Profit per dental conducted		$228.30	$228.30
Average Dental Fee $270 - $41.74 (average cost incurred) = $228.30			
Profit per week		$684.90	$1,369.80
Profit per year		**$34,245.00**	**$68,490.00**

Breakeven point (weeks to pay for Ultima) **8.15**
First Year Incremental Profit **$25,845.00**

A) The Ultima can be written off using the Section 179 allowance. If a typical clinic is in an average 38% tax bracket, that means they would save $3,200.00 in taxes bringing the net cost of the unit down to $5200. This gives you an even faster return on your investment

HENRY SCHEIN® ANIMAL HEALTH

NLS Animal HEALTH
A DIVISION OF HENRY SCHEIN®

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

09VS1214



YOU'RE TRUSTED TO PRESERVE ANIMAL HEALTH AND PREVENT THE SPREAD OF DISEASE.

~Make sure Intra-Oral X-rays are a part of your dental protocol~

TOP 10 REASONS TO INTEGRATE AN INTRA-ORAL X-RAY UNIT INTO YOUR PRACTICE

X-ray is the only way to determine accurate diagnosis, a treatment plan, and a prognosis.

Two-thirds of the tooth lies below the gumline. Without an X-ray, you are missing a large percentage of disease.

Dental X-rays are the only way to show the client what was done and why--this ADDS VALUE.

Determining anatomical orientation and root structure prior to extractions leads to a more efficient procedure.

Post-extraction X-rays confirm removal of root fragments, avoiding further complications.

Radiographs are the only way to accurately determine the percentage of bone loss when deciding whether a tooth can be treated and saved versus removal.

Over 70% of cats over the age of 5 suffer from feline ondontoclastic resorptive lesions (FORLs). Because a tooth can appear to have a normal looking crown with major disease occuring below the gum line, FORLs cannot be properly diagnosed and treated without radiographs.

It pays for itself over and over through frequency of use. Common problems such as facial swelling, mandibular fractures, chronic eye infections, chronic nasal discharge and oral cancer can all warrant intra-oral radiographs.

In today's litigious society, use of radiographs to support treatment decisions can provide invaluable.

It meets the equipment recommendations of the AAHA Dental Care Guidelines for Dogs and Cats.

Radiographs to support treatment decisions can prove invaluable to both veterinarian and patient. 80% of animals seen by veterinarians require some kind of dental procedure.

Not only could integrating an Intra-Oral X-Ray Unit benefit your patients, it's an excellent and often overlooked source of revenue!

Consider the following cost and revenue breakdown:

Average Fee for Full Mouth Radiographs	# per day	Daily Revenue
$50.00	2	$100.00
Average Cost for Additional Treatment*	**# Cases Per Day**	**Added Daily Revenue**
$100.00	2	$200.00
Revenue based on 20 work days per month:		$6,000.00
Yearly Revenue:		$72,000.00

*Dr. Jan Bellows, Dipl. AVDC estimates the cost of addtional treatment to average to $100 per patient.

In the above example, the clinic invested $10,000 and made $72,000 in the first year based on radiographs and related treatments.

By adding full mouth x-rays to your dental protocol, you will uncover disease that would have been missed without radiographs.

X-ray units are available in wall mount and mobile stands, as well as a portable handheld option. No matter how large or small your practice is adding intra-oral x-ray is a win-win for your practice, your clients and most importantly, your patients.

Ask your Animal Health Representative how you can add Intra-Oral Radiography to your practice. Installation services are available through Henry Schein ProService Division.



Please note: All NLS item codes featured in blue.

progeny
A Midmark Company

VetVision DC

Your Digital Dental Practice Begins Here

With its 0.4mm focal spot – the smallest available – low time settings and adjustable kV and mA, VetVision DC offers the perfect feature combination for today's digital environment.

Powerful features for image excellence

- 0.4mm focal spot
- Time selection from 2 seconds to 10 milliseconds
- Adjustable kVp – 60, 65, and 70
- Adjustable mA – 4, 5, 6 and 7
- Large, easy-to-read techniques display
- Easy-to-understand icons
- 30 pre-set techniques
- Unique sensor selection feature
- Unique tube head handle

Why is focal size so important?

Focal spot has a direct impact on image clarity. A smaller focal spot increases resolution and makes details appear sharper and more defined.

VetVision DC's 0.4mm focal spot produces visibly higher resolution images – with film, phosphor plates and digital sensors. Images are sharper and more defined; small but important details become visible for diagnosis.

Why is timing range so important?

Digital sensors are more sensitive than film and require less time and lesradiation to produce an image. The capability to adjust time settings to low levels can eliminate overexposure and provide more control over image contrast. As sensor technology advances and sensitivity increases in the next few years, the ability to choose low time settings becomes essential.

Why is adjustable kVp and mA so important?

First, because you may want or need to adjust the density or contrast of your images according to your preferences or the needs of the patient. VetVision DC gives you the ultimate flexibility.

Second, not all sensors perform optimally at the same kV and mA settings. VetVision DC provides the best possible techniques for our own Vision DX Sensor system and for virtually any other digital sensor system available. In fact, VetVision DC has a unique system selection feature that allows the user to optimize for a number of different sensor brands.

VetVision DC Has Everything You Need For Imaging Excellence

VetVision DC is thoughtfully made with the highest quality materials and design. It's easy to use with simple icons, easy technique selection and the best, most stable arm in the industry. Combine VetVision DC with Progeny's Vision DX digital sensors for the perfect synergy of technology and efficiency.

VetVision DC Dental X-Ray

P7017V-M Mobile System — Sale
(108-5218) 169288.....Ea. **$4,590**

Mounted System .....Ea. **$3,650**
P7015V-P .....56" Arm **(108-5211)** 169811
P7016V-P .....66" Arm **(108-5214)** 169814
P7017V-P .....76" Arm **(108-5215)** 169287

Required Remote Switch
(606-1003).....Ea. **$75**

Installation of x-ray unit not included.
CALL FOR PRICING!

VDX-Vet Digital Sensor System



progeny
A Midmark Company

A digital radiography sensor system featuring a high resolution sensor and simple USB connectivity. Two sensor sizes available; Always Ready functionality, 22 micron pixel size and 16-bit image acquisition. A complete system includes: Vision DX Sensor(s), USB interface module and ll cables required for installation, user Guide, and a Sanitary Sheath Sample Pack. 24 month warranty.

VDX-Vet Specifications:

	Size 2	Size 1
Dimensions	44 x 32 x 6mm	40 x 26 x 6mm
Active Area:	36 x 27mm	32.6 x 20.5mm
Active Pixels:	1.9 Million	1.3 Million
Pixel Size:	22.5um	
Resolution:	16 lp/mm	
Gray shades:	65,000	
Interface:	USB 2.0	
Interface Module:	66 x 92 x 28mm	
Cable Length	3 M	

In-office 3-hours software training available.
CALL FOR PRICING!

600-502, Size 2 Sensor — Sale
(110-8930) 169805 .....Ea. **$6,350**

500-427
(606-6510) 170263 *Required Imaging veterinary software.* **$965**

VetVision Complete

Integrated Intraoral X-ray and Digital Sensor System

VetVision Complete combines a high frequency intraoral veterinary dental X-ray system and a high resolution digital sensor for the ultimate in digital convenience. System includes one digital sensor with USB connectivity and storage on the arm and the VetVision DC x-ray. System available in 56", 66" and 76" arm lengths or mobile. Two year warranty on X-ray and sensor.

P7017-PDV2
(111-4752) 76" arm, double stud mount with size 2 sensor **$10,529**

P7016-PDV2
(110-6016) 66" arm, double stud mount with size 2 sensor **10,529**

P7015-PDV2
(111-7203) 56" arm, double stud mount with size 2 sensor **10,529**
(111-8370) Mobile unit with size 2 sensor **11,899**

500-427
(606-6510) 170263 *Required Imaging veterinary software.* **$965**

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

Build your small animal practice dental practice on

Quality

VetVision Complete

The only integrated veterinary dental x-ray and digital sensor system

- High resolution sensor and x-ray combined
- Always ready sensor connects and stores on the x-ray arm
- The ultimate in imaging convenience

VetVision DC Dental X-ray

The latest in DC technology

- Timing and technique flexibility designed to meet all your digital imaging requirements—now and in the future
- The smallest focal spot—0.4mm focal spot equals sharper images with film or sensors
- Simply the best arm mechanics—Rock-solid stability; no drift or sag

VDX-Vet

Superior digital images in just seconds!

- High resolution, diagnostic images
- 65,000 shades of gray optimizes soft tissue visualization
- Simple USB 2.0 installation
- Always Ready Mode
- Use with Progeny Imaging Vet Software

www.progenyvetimaging.com

progeny®
A Midmark Company

ALLPRO IMAGING

ScanX Digital Imaging Systems

- *Incomparable Ease of Use–One–step scanning, just insert the plate.*
- *PSP Technology–Use your existing X-Ray equipment - Reusable Phosphor Storage Plates (PSP) are used for imaging. With proper handling, PSPs may be reused thousands of times.*
- *Efficient Time Management–ScanX saves measurable time. Patent-pending, continuous rapid-feed system. Wait no more — use the extra available time for productive patient treatment.*
- *Convenience–The systems are designed to load and operate in normal room lighting.*
- *Diagnostic Quality–Maximum resolution images from faultless technology.*

ScanX® 14 In-Counter Digital Imaging System

For Small-Animal Veterinarians

Engineered to rapidly produce diagnostic quality images that are ready for viewing in just 55 seconds.

- Accepts 14" x 17", 10" x 12", and 8" x 10" plates
- Dimensions: 28¼"W x 18¼"D x 10"H above counter; 4$\frac{3}{16}$" below counter
- Weight: 43 Lb. *(unit only)*
- Electrical: 115 V, 60 Hz
- System comes with power cord and USB cable
- Counter, software, and accessories are sold separately

B9850F

(338-5456) 170094.....Ea. **$19, 995**

ScanX® 12 DVM Digital Imaging System

For Small-Animal Veterinarians and Veterinary Dentists

In-Line Erase enables completion of entire read/erase cycle in only 35 seconds for a 10" x 12" plate.

- Accepts all intraoral sizes from 0 to 4 occlusal and 10" x 12" and 8" x 10" plates
- Dimensions: 14"W x 14"D x 28"H
- Weight: 55 Lb.
- Electrical: 115V, 60 Hz
- System comes with power cord, USB cable, plate guides, and dust cover
- Software and plates are sold separately

B7350

(108-6368).....Ea. **$22,000**

ScanX® Duo Digital Imaging System

For Veterinary Dentists

Exclusive independent track control (ITC) feature allows the processing slots to be simultaneously or independently controlled. Single unit can be operated by 2 users at the same time with different patients.

- 2 processing slots accept all intraoral sizes from 0 to 4 occlusal
- Dimensions: 10" W x 10½" D x 11¾" H
- Weight: 25 Lb.
- Electrical: 100–240 VAC, 50/60 Hz
- System comes with power cord, USB cable, plate guides, and dust cover
- Software and plates are sold separately

D1000V

(108-4986).....Ea. **$9, 995**

ScanX® 12 Portable Digital Imaging System

For Equine Veterinarians

Exceptionally lightweight, the padded soft case with handles makes it easily transportable from vehicle to barn or stable and back. In-Line Erase enables completion of entire read/erase cycle in only 35 seconds for a 10" x 12" plate.

- Accepts 10" x 12" and 8" x 10" plates
- Dimensions: 17"W x 17"D x 16½"H
- Weight: 37 Lb.
- Electrical: 115 V, 60 Hz
- System comes in soft case with power cord and USB cable
- Software and accessories are sold separately

B8150

(142-8166).....Ea. **$19, 995**

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

EVA-Vet® Digital Sensor
CMOS device that replaces dental X-ray film. Supplied as Size #1 or Size #2 devices that are the same as standard film sizes. High resolution with 1.09 megapixels @4096 gray shades (Size #2) and 16.7 line pairs per mm. Powered from the computer's USB port. Complete with ProImage-VVet dental software. Computer is not included.
Size 2
(263-8821) 168149 .....ea **$5,850.00**
Size 1
(393-7011) 168042 .....ea **$5,850.00**

Image Vet-70® ACP Intraoral X-ray Unit
A 70 kV, 8 mA X-ray source with a handheld, veterinary-specific (canine or feline) dental exposure control selector. Wall plate or mobile stand mounted with an articulating scissor arm for maximum flexibility and patient-exposure alignment. Can be used with either dental X-ray film or AFP's EVA-Vet digital intraoral sensor. 115-V, 10-amp operation. Professional installation is available at an additional charge.

- Scissor arm for greater positioning control
- Improved remote handheld X-ray control
- Proprietary, anatomical technique selector
- Modern-looking tube head
- 2-year warranty

#999270150, Wall Mount
(394-3322) 168041 .....ea **$3,459.00**
#9992701800, Mobile Stand
(614-6161) 168038 .....ea **$3,929.00**

DEXanimal™
DEXIS® Digital X-ray

- Single-sensor solution with a large active image area
- Fits in the mouths of most dogs, large and small, as well as cats
- Highly durable, sealed sensor casing
- Specialized tooth numbering for dogs and cats
- Save photographic images of the animal in the patient record
- Easy to learn, simple to use
- Instant images allow significant time savings
- Safer for animals due to shortened anesthesia time
- No film, chemicals, or disposal

DEXIS
HENRY SCHEIN®

Please note: All NLS item codes featured in blue.

ARIBEX™

Nomad Examiner 2.3 X-Ray

Handheld X-ray device provides high-quality X rays with faster results and easier-to-get dental angles. Ideal for small animal limbs and extremities. Without cords, tables or rolling stands, this battery-operated handheld device gives you the ability to take the X ray to the patient, not the patient to the X ray.
60 kV
(106-2747) 168773.....ea **$4,950.00**

ARIBEX™

Nomad Pro Veterinary

The newest in the Nomad family of handheld dental X-ray systems, this product is optimized for veterinary dental use. Use the icons on the top panel to select the size of animal and the type of media used (standard film, digital sensor, or phosphor plate). Then simply select the type of radiograph needed, aim, and pull the trigger. With the entire unit weighing just 5½ lb, this handheld and portable design moves easily from room to room, eliminating the need for multiple units. And because it's handheld, you can stand right with the animal during the X-ray procedure. No more leaving the room! The high-quality radiographic images produced by the Nomad Pro Veterinary enable fast, accurate diagnoses.

(113-2481) 170642.....ea **$5,650.00**

HENRY SCHEIN®
PRO REPAIR

The ProRepair Difference:

We Stand Out From the Rest

Send in your repairs

• Small Equipment • Sterilizer • Handpiece • Instrument Sharpening • Intraoral Cameras
and Hi-Tech Repair Services • Ultrasonic Insert Replacement • DO-IT-YOURSELF Handpiece Repair Parts

For more information or to request packaging materials to send in your repair, please call ProRepair at:
1-800-367-3674 8am–7pm (et)
E-mail: prorepair@henryschein.com www.prorepair.com

ASK US ABOUT OUR TRADE-IN SPECIALS!
PROREPAIR MANUFACTURER APPROVED REPAIR SERVICES
ISO REGISTERED Plainview, NY Gaithersburg, MD Livermore, CA West Allis, WI Placentia, CA

© 2009 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors.

Please note: All NLS item codes featured in blue.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825

Miltex®

WELDIN PERIODONTAL INSTRUMENT KIT

REF# 6809

Kit includes 1 each of:

REF	Description
SVET-5450	GripLite S6 Mirror Handle, single-ended, cone-socket
67-696/3*	#3 Cone Socket Front Surface Mirror, 1 mirror
67-696/4*	#4 Cone Socket Front Surface Mirror, 1 mirror
SVET-23E/18P	GripLite S6 #23 Explorer/18mm Probe, double-ended
SVET-5004	GripLite S6 J33/H5 (Jacquette J33/1YS Scaler)
SVET-767	GripLite S6 Morse 0-00 Scaler
SVET-5201	GripLite S6 Columbia 13/14 Universal Curette
SVET-5202	GripLite S6 Barnhart 1/2 Universal Curette
DTST**	Sharpening Test Sticks, Clear, 1 stick
STN-ARK-CON	Conical Arkansas Sharpening Stone, 1 stone
STN-ARK-FLT-4	#4 Flat Arkansas Sharpening Stone, 1 stone
3-084107	Miltex Storage Cassette 8"L x 4-7/8"W x 1-1/8"H

*(not sold individually – REF is 12/bx)
**(not sold individually – REF is 6/pk)
Check with distributor for individual sale.

INCLUDES TRAINING DVD & INSTRUCTIONAL CHART!

NIEMIECEXTRACTION INSTRUMENT KIT

REF# 6806

Kit includes 1 each of:

REF	Descriptions
4-7	# 3 Scalpel Handle
73-64	BABY MOLT Periosteal Elevator
DEFF	Extracting Forceps, Universal, Mini
5D-324	LA GRANGE Scissors 4-1/4" Curved, One Serrated Blade, Angled Shank
8-15TC	OLSEN-HEGAR Needle Holder, Combined Suture Scissors 5-1/2"
6-124	BROWN-ADSON Tissue Forceps, 4-3/4", 7x7 Teeth
5-16	Operating Scissors (suture scs), 5-1/2" Straight, S/B
DELLUXS2	Miltex Luxating Elevator, Straight, 2 mm
DELLUXS3	Miltex Luxating Elevator, Straight, 3 mm
DELLUXS5	Miltex Luxating Elevator, Straight, 5 mm
DELLUXC3	Miltex Luxating Elevator, Curved, 3 mm
DELLUXC5	Miltex Luxating Elevator, Curved, 5 mm
3-085009	Miltex #9 Storage Cassette 8" L x 6" W x 1-3/16" H

INCLUDES TRAINING DVD & INSTRUCTIONAL GUIDE!

WINGED ELEVATOR DELUXE KIT

REF# DELWDELUX

Set includes 1 each of:

REF	Description
DELWNG2	Miltex Winged Dental Elevator, Size 2 mm
DELWNG3	Miltex Winged Dental Elevator, Size 3 mm
DELWNG4	Miltex Winged Dental Elevator, Size 4 mm
DELWNG5	Miltex Winged Dental Elevator, Size 5 mm
DELWNG6	Miltex Winged Dental Elevator, Size 6 mm
DELWNG7	Miltex Winged Dental Elevator, Size 7 mm
DELWNG8	Miltex Winged Dental Elevator, Size 8 mm
3-084007	Miltex #7 Storage Cassette 8" x 4-7/8" x 1-1/8"

WINGED ELEVATOR BASIC KIT

REF# DELWBASIC

Set includes 1 each of:

REF	Description
DELWNG2	Miltex Winged Dental Elevator, Size 2 mm
DELWNG3	Miltex Winged Dental Elevator, Size 3 mm
DELWNG4	Miltex Winged Dental Elevator, Size 4 mm
DELWNG5	Miltex Winged Dental Elevator, Size 5 mm
3-083005	Miltex #5 Storage Cassette 8" x 3-13/16" x 1-1/8"

LUXATING DENTAL ELEVATOR KIT

REF# DELLUXKIT

REF	Description	Length
DELLUXKIT	Luxating Dental Elevator Kit Contains:	
DELLUXC2	1 – Miltex Luxator- curved tip 2 mm	4-1/2" (11.4 cm)
DELLUXC3	1 – Miltex Luxator- curved tip 3 mm	4-1/2" (11.4 cm)
DELLUXC4	1 – Miltex Luxator- curved tip 4 mm	4-1/2" (11.4 cm)
DELLUXC5	1 – Miltex Luxator- curved tip 5 mm	4-1/2" (11.4 cm)
DELLUXS2	1 – Miltex Luxator- straight tip 2 mm	4-1/2" (11.4 cm)
DELLUXS3	1 – Miltex Luxator- straight tip 3 mm	4-1/2" (11.4 cm)
DELLUXS4	1 – Miltex Luxator- straight tip 4 mm	4-1/2" (11.4 cm)
DELLUXS5	1 – Miltex Luxator- straight tip 5 mm	4-1/2" (11.4 cm)
3-084007	1 – Miltex #7 Storage Cassette	8" L x 4-7/8" W x 1-1/8" H

PERIOTOME KIT

REF# 70-177

Kit Contains one of each:

REF	Description
70-170	Straight Blade
70-171	Hatchet Blade
70-172	Hoe Blade
3-082008	Slimline Cassette 8" x 2-5/8" x 11/16"

Periotomes are used to cut periodontal ligaments for atraumatic tooth extractions.

Ideal for Feline and Toy breeds.

70-170 70-171 70-172

All instruments contained in kits can be purchased individually

Please note: All NLS item codes featured in blue.

Why AVImark?

Quite simply, it's the best value in practice-management software.

AVImark is the best-selling practice-management software today, with nearly 10,000 customers in the U.S. and Canada.

It's simple to install and use, powerful enough to manage practices of all sizes, and scalable enough to grow as you do.

"I truly believe AVImark is the very best choice for your veterinary practice today, if you are working toward an 'electronic medical record,' want to have fun with your program, and just love practicing with style!"

Paul M. Schmitz, DVM,
Past President, Association
for Veterinary Informatics



- It's robust and powerful, at a competitive price.
- It's simple to use. The Windows®-based program is very intuitive, and all the information you need for each client or patient can be viewed on one screen.
- One software package empowers your entire practice. You won't need to purchase additional licenses or modules to add capabilities.
- It enables complete electronic medical records and paperless practices.
- It's backed by our award-winning training and technical support, so you can talk to friendly, helpful people when needed.

95% of users would recommend AVImark® Veterinary Management System Exclusively from HENRY SCHEIN® to a colleague.

Ranked highest in the 2008 Reader's Choice Software survey

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**
09VS1214

AVImark® Veterinary Management System
Exclusively from HENRY SCHEIN®

FEATURES

WHITEBOARD	Manage all client/patient activity at once: appointments, reservations, check-ins, and scheduled activities
S.O.A.P. (Subjective/Objective/Assessment/Plan)	Track specific patient problems along with diagnostic and therapeutic treatments.
REPORTS	Preset reports allow you to quickly gather financial information by day, week, month, year, or any time period defined.
INVENTORY CONTROL	Keep accurate track of retail and drug products.
IMAGE CAPTURE	Attach a digital image to any client, patient, treatment, inventory item, or medical history.
SECURITY	Control which functions staff members can perform and log staff out after several minutes of inactivity.
ADDITIONAL DATA FIELDS	Download test results directly from equipment and reference libraries. (See a complete list of compatible equipment on our Web site at www.avimark.net.)
APPOINTMENT CALENDAR	Create, move, and view appointments sorted by day, time, and doctor.
BOARDING CALENDAR	Organize occupancies and manage feeding and care schedules.
COMPREHENSIVE TREATMENT LIST	Easily create invoices or estimates, record test results, and more.
ESTIMATES	Create both "canned" and unique estimates easily and link them to Word documents.
INFORMATION SEARCH	Target specific groups of clients for marketing campaigns, newsletters, and even birthday cards.
CLIENT INFORMATION DISPLAY	Find all of the information you need—organized on one screen.
PATIENT REMINDERS	Automatically track due dates for treatments and determine your response rate from reminders sent.
PRACTICE ANALYSIS	Evaluate the performance of your practice through customization reports.
DENTAL CHART	Easily access and print a patient's current and past dental records, including probing depths and gingival recessions.

For a FREE Demo CD, Quick Tour Guide, and User List, call today:
1-800-611-4033
(8am–7pm, et)

or visit us online at
www.avimark.com

We update AVImark multiple times per year based on feedback from our customers, so watch for new enhancements that will help make your practice even stronger!

Please note: All NLS item codes featured in blue.

Rechargeable Handles for Diagnostic Instrument Heads
#71000, 3.5-V Direct Plug-in Style Rechargeable from any 110-V outlet.
(566-2474) 111887 .....ea **$130.00**
#71000-C, 3.5-V Nickel-Cadmium Can be converted for use with standard C-cell batteries.
(566-3656) 120782 .....ea **$145.00**

3.5-V Operating Otoscope
Halogen HPX™ lamp that provides 30% more light output than standard halogen lamps, for true tissue color and consistent, long-lasting illumination.
- Open system for convenience during procedures
- Rotating lens and speculum for ease of use
- Fiber-optic illumination for cool light

#21760
(566-1518) 101480.....ea **$154.00**
Contains: 3 polypropylene specula: sizes 4 mm, 5 mm, & 7 mm.

3.5-V Ophthalmoscope Heads
#11710, Standard Ophthalmoscope
For true tissue color and consistent, long-lasting illumination.
(566-7562) 101476.....ea **$204.00**
Contains: halogen HPX™ light, 6 apertures, cobalt blue & polarizing filters, & 28 lenses (-25 to +40 diopters).

#11720, Coaxial Ophthalmoscope
For shadow-free spot and easier entry into undilated pupils.
(566-8512) 102335 .....ea **$221.00**
Contains: halogen HPX™ light, 6 apertures, cobalt blue & polarizing filters, & 28 lenses (-25 to +40 diopters).

3.5-V Pneumatic Otoscope
Halogen HPX™ lamp that provides 30% more light output than standard halogen lamps, for true tissue color and consistent, long-lasting illumination.
- Rotating lens with ultraseal for pneumatic otoscopy
- Fiber-optic illumination for cool light

#20260
(566-6975) 101478 .....ea **$154.00**
Contains: 3 polypropylene specula: sizes 4 mm, 5 mm, & 7 mm.

Universal Charger and Desk Sets
Compact desk charger for convenient drop-in recharging and flexible mobility of desk/well/charger handles.
- Colored LEDs indicate power to the unit and that handles are seated in wells and charging
- Advanced circuitry for constant automatic safe charging and optimal lamp performance and life
- Compact for convenience and mobility
- Optional wall mount kit for permanently mounting to wall or cabinet
- Optional specula tray conveniently stores swabs, otoscope specula, and curettes
- Instrument heads sold separately

#71140, Universal Charger Only
(566-6926) 101589 .....ea **$199.00**
#71630, Complete with 2 Rechargeable NiCad Handles
(566-4393) 101513.....ea **$420.00**
#71640, Complete with 2 Rechargeable Lithium-ion Handles
(566-4922) 165032 .....ea **$619.00**



MacroView Veterinary Otoscope
Offers veterinarian a wider, deeper, clearer view of ear when compared to traditional otoscopes. With an innovative design, instrument provides a large, sharp, nearly full view of tympanic membrane in all companion animals, allowing clinician to more effectively diagnose and treat patients.
#23862, with Specula
(566-3137) 166996 .....ea **$281.00**
Contains: 4-mm, 5-mm, & 7-mm specula & 7-mm instrumentation speculum.



PanOptic™ Ophthalmoscope Heads
Breakthrough concept in veterinary ophthalmoscopy. A proprietary optical design, Axial PointSource™ Optics, allows veterinarians to examine fundus easily.
- Fast, easy entry into small, undilated pupils
- 5X larger view of fundus in undilated eye vs standard ophthalmoscopes
- 25° field of view vs 5° field of view of standard ophthalmoscopes
- Greater working distance improves comfort for practitioner
- 6" from veterinarian to patient's eye
- Complete compatibility with existing Welch Allyn 3.5-V power sources

#11800-V, Head
Complete with 3 spot sizes (micro, small, and large) and add-on magnifying lens.
(566-1146) 161928.....ea **$443.00**

#11810, Head
Complete with 3 spot sizes (micro, small, and large), slit aperture, red-free filter, and half-moon aperture.
(522-9560) 161929 .....ea **$475.00**
#11820, Head
Complete with 3 spot sizes (micro, small, and large), slit aperture, cobalt blue red-free filter, and add-on magnifying lens.
(566-0783) 161930 .....ea **$515.00**

Please note: All NLS item codes featured in blue.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825

09VS1214

To order, select the ophthalmoscope and otoscope you need for your clinic. Each diagnostic set also includes the power handle and a choice of a hard or soft case. Order your diagnostic set by referencing the Welch Allyn item code.

Diagnostic Set Numbers	OPHTHALMOSCOPES				OTOSCOPES			POWER HANDLE	CASES				
	#11710	#11720	#11800-V	#11820	#23862	#20260	#21760	#71000-A	Hard #05966-U	Soft #05215-M	Hard #05866-U	Hard #05868-M	Soft #05815-M
#96020-MP			■		■			■				■	
#96021-MP			■		■			■					■
#96220-M		■			■			■				■	
#96221-M		■			■			■		■			
#96220-MP				■	■			■				■	
#96221-MP				■	■			■					■
#96320-P			■			■		■			■		
#96370-P			■				■	■			■		
#96120	■					■		■	■				
#96121	■					■		■		■			
#96170	■						■	■	■				
#96171	■						■	■		■			
#96220		■				■		■	■				
#96221		■				■		■		■			
#96270		■					■	■	■				
#96271		■					■	■		■			

All sets available with power handles for export use.

Please specify set number, country and voltage.

WelchAllyn®

WelchAllyn®

Digital MacroView Veterinary Otoscope

Simple, affordable, and valuable tool that lets you see, explain, and save digital images of ears. Offers clear, live, and still images of ear canal and tympanic membrane for treating and managing patients' ears. Easy to learn and use, this otoscope is a plug-and-play system that requires no additional software purchase.

Benefits:

- Improves communication that can lead to better client compliance
- Excellent training aid for educational purposes
- Ability to view small details of ears, mouth, and teeth
- Allows storing of digital images in patient records for enhanced documentation of exam findings
- Ability to share images with other providers as visual descriptive reference

#23960

(110-2001) 169816.....ea **$1,175.00**

JorVet™

BioCam 2.0™ Video Otoscope

With exceptional portability, high resolution, real-time imaging, and video recording, this device is a great way to educate the client and increase treatment compliance. It can be plugged into any Microsoft platform computer with a USB 2.0 port, and can be used for multiple diagnoses such as skin lesions, dental tartar, ear infections, and more. Interchangeable disposable specula offer more flexibility for diagnosing. Features a 1-year limited warranty.

#J1100

(113-4613) 170850.....ea **$765.00**

Please note: All NLS item codes featured in blue.

JorVet™

TonoVet® Digital Imaging System
This portable, handheld unit utilizes "rebound" tonometry and is held about ¼" away from cornea. At the push of a button, a tiny probe painlessly and rapidly reaches out and touches cornea. 6 rapid measurements are taken within seconds. Most of the time, animal will not even react, and no local anesthetic is required. An audible beep tells of a successful result, which is displayed digitally.
#J1000
(925-7321) 119560 .....ea **$2,999.00**

3M™ Littmann®

Littmann® Master Classic II Stethoscopes
Unique, patented, 1¾" diameter, single-sided chest piece allows you to hear both high-frequency and low-frequency sounds from a single side for uninterrupted, efficient auscultation. Comfortable to wear and handle. Combines benefits of the Master chest piece with the economy of the traditional, classic stethoscope.

27" Tubes.....ea **$99.00**
Specify:
#2146, Burgundy ..... 101139 **(777-5685)**
#2147, Navy ..... 115785 **(777-4325)**
#2144L Black, 27" Tube..... 104801 **(777-8643)**

NEW!

3M™ Littmann®

#3100 Electronic Stethoscope
Exceptional sound capabilities deliver an exceptional auscultation experience. Clinical evidence shows that it's easier to detect difficult-to-hear heart sounds, like S3 gallops, aortic regurgitation murmurs, and abnormal lung sounds. The user interface is incredibly simple and nondisruptive to the auscultation workflow. It all adds up to a great auscultation experience.
Black, 27"
(113-5193) 170952.....ea **$349.00**
Call for other color options.

3M™ Littmann®

Lightweight II S.E. Stethoscope
General-purpose, entry-level stethoscope is an excellent, affordable choice for basic blood pressure and limited physical assessment. Soft-sealing ear tips. Bell-diaphragm chest piece provides clear, reliable acoustic performance.

- Chest-piece shape designed for better orientation around blood-pressure cuffs and body contours
- Lightweight design
- Ear tips provide a comfortable fit and a better seal to reduce ambient noise and improve acoustics
- Anatomically angled headset

28" Tube.....ea **$45.00**
Specify:
#2450, Black ..... 105977 **(777-6732)**
#2451, Burgundy..... 108180 **(777-4011)**
#2452, Caribbean Blue ..... 166504 **(777-5057)**
#2454, Ceil Blue..... 162437 **(777-9057)**
#2455, Seafoam Green..... 167495 **(777-7178)**

3M™ Littmann®

Littmann® Cardiology III Stethoscopes
Outstanding acoustic performance and exceptional versatility characterize this stethoscope. Innovative design offers a patented tunable diaphragm on each side of chest piece.

- Solid stainless steel chest piece
- 2-in-1 tube design eliminates tube-rubbing noise
- Excellent acoustic seal and comfortable fit with patented Littmann® Snap-Tight soft-sealing ear tips
- Comfortably angled, anatomically correct headset
- Patient-friendly nonchill rim and diaphragm

Stethoscopes.....ea **$159.00**
Specify:
Black, 27" ..... 109983 **(120-3713)**
Hunter Green, 27" ..... 110222 **(101-2536)**
Navy, 27" ..... 109986 **(101-2529)**
Burgundy, 27"..... 109985 **(180-7538)**
Black, 22" ..... 115789 **(777-8607)**

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

iPet

UltiMed

I-Pet™ Glucose Meter Kit

Calibrated specifically for cats and dogs. Each is an all-inclusive kit that contains everything needed to measure and monitor blood-glucose levels in a pet.

Kit
(927-0008) 169885 .....ea **$50.00**
Contains: meter, 10 test strips, 2 glucode chips, lancing device, 10 lancets, carrying case, control solution, user manual, quick reference guide, log book, & battery.

Control Solution
Used to check the performance of the iPet Glucose Meter, iPet Test Strips, and your testing technique.
(927-0007) 169886 .....2/box **$11.00**

Test Strips
Packaged in 2 individual vials of 25 each. Each 50-count package includes 2 glucose chips that are pet-specific.
(927-0005) 169888 .....50/box **$36.00**

Test Strips
For use with iPet Glucose Meter. Vials contain 25 test strips and 2 glucose chips which are pet-specific for cats and dogs.
(927-0006) 169887 .....25/box **$21.00**

HESKA

Veterinary Clinical Refractometer
For Use with Dogs and Cats

- Determines urine specific gravity and protein concentration in serum or plasma
- Provides more accurate readings than a human refractometer, especially with high urine-specific gravity
- Dual USG scale: feline scale goes to 1.080; canine scale goes to 1.060
- High-quality optical lens
- Automatic temperature compensation
- Heavy-duty construction for long-lasting durability
- 1-year warranty

#CAT317
(428-6160) 167405 .....ea **$250.00**

AlphaTRAK
BLOOD GLUCOSE MONITORING SYSTEM

Abbott
Animal Health

AlphaTRAK™
First portable system validated specifically for cats and dogs.
Fast, cost-effective, and validated to reference lab values.

- First validated system for cats and dogs
- First validated meter to provide results in under 15 seconds
- First to detect reliable blood samples at 0.3 µL

#32004, Blood Glucose Meter
(603-2082) 114556 .....ea **$80.00**

#32005-01, Control Solution
(603-0832) 116000 .....2/box **$13.53**

#32006-01, Test Strips
(603-5263) 162190 .....50/box **$50.75**

#32007-01, Lancets
(603-8930) 118396 .....100/box **$16.24**

AlphaTRAK™ Blood Glucose Monitoring System Kit
Provides all AlphaTRAK products and support materials in one kit.

Home Monitoring Benefits:

- Ability to monitor glucose levels in normal daily environment
- Ability to monitor glucose levels in presence of suspected dangerous hypoglycemic or hyperglycemic symptoms
- Potentially improved clinical outcomes due to minimized in-clinic stress and ability to monitor more frequently
- Reduced overall cost and time

#32036-02-02
(603-8053) 168419 .....ea **$147.00**
Contains: meter, 1 vial of test strips, 2 bottles of control solution, 1 box of lancets, lancing device, quick user's guide, diabetes diary, & instructional DVD.

WelchAllyn

SureTemp® Plus 690

- 10-13-second rectal temperature measurement
- Easy-to-read LCD screen
- Interchangeable, removable probe
- Convenient storage for 25 probe covers
- Battery life: 6000 temperatures

#01690-201V
(566-6491) 109137 .....ea **$259.00**
Contains: thermometer, & 4-ft rectal probe with rectal probe well.

Probe Cover
For SureTemp® Plus 690 Thermometer
#05031-101
(840-2661) 107710.....250/box **$10.00**

Please note: All NLS item codes featured in blue.

IDEXX VetLab® Suite

Chemistry • Hematology • Electrolytes • Endocrinology • Urinalysis • Coagulation • Blood Gas • Infectious Diseases

All test results integrated in a single report—including SNAP® test results, for a clear picture of each patient's health

Immediate information—in-house diagnostic results offer faster turnaround for better patient care

Flexibility—more options so testing and diagnostic choices are yours to make

Comprehensive information—the most complete medical data for the best treatment decisions

Veterinary-specific diagnostics—designed exclusively for you and your patients

Ever-expanding product line—continually bringing more medical capabilities and better technologies in-house

Dependable support—rest assured that all IDEXX analyzers are supported

Help 24/7—expert medical and technical assistance, anytime, day or night

IDEXX VetLab® Station

Laboratory Information Management System

Catalyst Dx®

Chemistry Analyzer

IDEXX VetLab® UA™

Urine Analyzer

IDEXX Coag Dx™

Analyzer

Whether you choose our next-generation IDEXX VetLab Suite or trusted favorites like these, you can rest assured that IDEXX continues to support and invest in our analyzers. They are trusted by more veterinarians worldwide.

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

09VS1214

IDEXX VetLab® Station

Laboratory Information Management System

An unprecedented level of information consolidation that offers you seamless integration of patient and medical data.

- See results from all IDEXX VetLab instruments, including SNAP tests, in one report
- Automatically review patients' prior results on every printout for easy comparison
- Monitor response to treatment or drug therapy over time with results-trending graphs
- Find all historical patient results with easy access to integrated reports and data
- Reduce data entry and take advantage of virtually unlimited storage space
- Connect to Cornerstone® to reduce lost charges and increase revenue through automation

LaserCyte®

Hematology Analyzer

SNAPshot Dx®

Analyzer

IDEXX StatSpin®

High-Speed Centrifuge

IDEXX VetLab® Report

All your test results in a single easy-to-read report

VetStat®

Electrolyte and Blood Gas Analyzer

Please note: All NLS item codes featured in blue.

Practice what's possible®

IDEXX LABORATORIES

Easy, efficient, consistent—
IDEXX VetLab® UA™

IDEXX VetLab® UA™
Urine Analyzer

VetLab UA Analyzer
(223-1566)
168262
$895

The IDEXX VetLab UA Analyzer is
simple to operate,
improves workflow and
produces consistent, automatically printed results.

- Standardized operation and automation give you consistent results: human error is all but eliminated!
- One-button operation makes it quick and easy to use.
- Results read and printed automatically—saves technician time.
- Professional-quality printout helps increase your clients' confidence.
- 70 seconds to results.

UA Strips
(223-9079)
167201
$50

UA Calibration Strips
(223-8289)
167202
$77.25

IDEXX UA™ strips are better

- Designed and validated for veterinary use only, so you don't need to wonder if your canine, feline or equine results are valid.
- 24/7 technical support offers assistance when you need it.
- Authorized IDEXX distributors and IDEXX representatives are available to support you in your practice.
- Strips can be used manually or with an analyzer.

Avoid bleeding complications—uncover clotting disorders in seconds

The New IDEXX Coag Dx™ Analyzer—
Provides the most sensitive and complete in-clinic diagnostic testing for coagulation disorders in animals

- Tests abnormalities in intrinsic, extrinsic and common pathways
- Provides aPTT, Citrate aPTT, PT and Citrate PT results in seconds
- Veterinary specific—validated for canine, feline and equine patients
- Uses fresh or citrated whole blood
- Fast and easy to use

With the Coag Dx Analyzer, testing can be done immediately and in-clinic.

- Pre-surgical or procedure work-up for at-risk animals
- Clinical signs of excessive bleeding
- Rodenticide and other toxins
- Breeds with hereditary bleeding disorders
- Disseminated intravascular coagulopathy (DIC)
- Severe systemic disease
- Monitoring therapy and disease progression

Practice what's possible®

IDEXX LABORATORIES

idexx.com

© 2008 IDEXX Laboratories, Inc. All rights reserved. • 5908-00

IDEXX Coag Dx and Practice what's possible are trademarks or registered trademarks of IDEXX Laboratories, Inc. in the United States and/or other countries.

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672**
Fax: **1-888-568-2825**

NLS, Texas & Oklahoma: **1-800-444-4381**
Fax: **1-800-771-2232**

NLS, Alabama: **1-800-476-4343**
Fax: **1-888-568-2825**

See More. Do More.

With Personal Ultrasound

speq VIEW

Deliver animal care quickly and affordably with SpeqView Personal Ultrasound—the world's first palm-sized, high-performance ultrasound system.

Please note: All NLS item codes featured in blue.

09VS1214

To Order from Henry Schein, Call: **1.800.872.4346** 8am–9pm, et • To Fax: **1.800.483.8329** 24 Hrs

www.henryschein.com/veterinary

8500AV Handheld Veterinary Pulse Oximeter
- Veterinary-specific software–wide pulse rate range: 18–450 bpm
- Veterinary-specific sensors
- Enhanced sensitivity to low perfusion signals
- Large, easy-to-read LED displays
- 18-hour memory and alarm options

(461-5921) 119750.....ea **$635.00**

9847V CO_2 Detector Pulse Oximeter
Aids veterinarians during surgery or other procedures requiring intubation. Monitors oxygen saturation, pulse rate, and end-tidal carbon dioxide in intubated animals.
- Veterinary-specific software–wide pulse rate range: 18–450 bpm
- Veterinary-specific sensors
- Audible "breath beep"
- Alarms for apnea, SpO_2, and pulse rate
- Enhanced sensitivity to low perfusion signals

(193-8218) 115423.....ea **$1,055.00**

Handheld Doppler Ultrasonic Monitor
Handheld, noninvasive blood-pressure unit is excellent for monitoring cats. Flat probe for taping in place.
Complete Unit
(568-7368) 109204.....ea **$1,019.00**
Contains: 1 sphygmomanometer, 2 BP cuffs, 1 ultrasonic gel, & 9-V battery.

LifeSense Multiparameter Monitor
Measures and displays end-tidal carbon dioxide ($EtCO_2$) and fractional inspired CO_2 ($FiCO_2$) values, respiration, functional oxygen saturation of arterial hemoglobin (SpO_2), and pulse rate of intubated animals. The distinct wide-screen display also serves as a user-friendly touch panel where all settings and adjustments are made.
Features:
- Widescreen touch-panel display
- MedAir™ $EtCO_2$ technology
- Nonin PureSAT® SpO_2 technology
- Capnograph and plethysmograph display
- For use on small to large animals

Life Sense
#5775-02
(110-7077) 170265.....ea **$2,125.00**

Pulse Sense–SpO2 Only
Pulsesense V
(112-4687) .....ea **$1,080.00**

RespSense–EtCO2 Only
#5774-002
(499-3692).....ea **$1,650.00**

SpeqView Handheld Personal Ultrasound
The first palm-sized, high-performance ultrasound system weighs less than 300 grams and features superb image resolution. Its long battery life and quick start-up time make it always prepared for immediate scanning. It can be worn like a stethoscope, put in a pocket, and taken anywhere it is needed. It is always ready.
#SB0001
(113-5743) 170966.....ea **$3,995.00**
Contains: SpeqView system, 3.5-MHz transducer, 7.5-MHz transducer, USB cable, 2-GB micro SD card, 60-mL ultrasound gel, power supply, car charger, SpeqView hardshell carry case, quick reference guide, user manual-DVD, training video, SigViewer software, & custom Signostics Phantom.

Please note: All NLS item codes featured in blue.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825

NELLCOR

OxiMax® N-65™ Handheld Pulse Oximeter

This all-digital, compact pulse oximeter is designed to give veterinarians an accurate, reliable, and inexpensive way to measure a patient's oxygen saturation (SpO_2) and pulse rate. Ideal for spot checks or continuous monitoring in any setting, it includes advanced digital signal processing technology, alarms, and backlit display. OxiMax technology provides better monitoring performance during difficult conditions such as patient motion, low pulse perfusion, or electrical interference. This version comes with VetSat® sensor. It is battery operated and has a 3-year warranty. 2 yr warranty option also available.

#N65-VSAT

(106-5267) 166362 .....ea **$1,035.00**

Matrx by MIDMARK

Rad-5™ Handheld Pulse Oximeter

Masimo SET® signal-extraction unit is scientifically and clinically proven accurate during motion and low perfusion.

- Masimo SET V4.3
- Lightweight and convenient
- Designed for spot-check or monitoring continuous monitoring
- Audible and visual alarms for High/Low Saturation, Pulse Rate, Sensor Off, and Low Battery
- APOD, SIQ (Signal I.Q.®), FastSat®, alarm & PI (perfusion index) displays
- 72 hours of trending memory
- Long battery life: up to 48 hours on 4 AA batteries
- Audible up to 3 days of trending; downloadable through sensor port
- Optional protective boot cover with built-in tabletop stand

#90005

(111-3112) 121261.....ea **$1,025.00**

Bionet

Oxy9Vet Veterinary Pulse Oximeter

Pulse Oximetry in the Palm of Your Hand Rechargeable, portable pulse oximeter. Audible alarms sound if SpO_2 or pulse is outside the definable normal limits. Developed with quality and convenience in mind.

- Real-time SpO2
- Real-time heart rate (BPM)
- Compact design for easy transportability
- One-touch operation
- Symbol icons for easy operation

(109-2320) 166354 .....ea **$459.00**

SHARN VETERINARY, INC.

TidalGuard™ Monitor

$SpCO_2$ + SpO_2 + Resp. + Pulse Rate

Handheld monitor that provides quantitative mainstream $EtCO_2$ with advanced SpO_2 technology in a portable, lightweight, simple, and inexpensive monitor. Monitor allows veterinarian to view critical information, including inspired and expired CO_2 in a waveform and numerical presentation with respiration and pulse-oximetry values displayed on screen. User can also set custom alarm limits and view graphic trends.

TidalGuard

(425-2311) 170116 .....ea **$2,675.00**

Contains: monitor, CO_2 airway adapter, SpO_2 multisite sensor & clip, rechargeable cadmium battery, AC power cord, & nylon carrying case.

SurgiVet™

Handheld Pulse Oximeter

- Digital SpO2 and heart rate
- Adjustable alarm limits
- Visual and audible alarm signals
- Battery operated
- 99-patient memory
- Optional infrared printer is available (#8411)
- Optional power supplies are available (#11611, 105–125 V and #11612, 208–252 V)

#V3402

(915-2108) 160255 .....ea **$1,100.00**

Contains: #V1711 large Y sensor, #V1710 tail wrap sensor, #V3078 mini clip sensor, #3419 protective boot, #V1896P operations manual, & 6 AA batteries.

Please note: All NLS item codes featured in blue.

Oster

CryogenX™ and CryogenX™ Elite with AgION® Clipper Blades
For A5®-Blade-Compatible Clippers
AgION antimicrobial uses silver, a powerful metal ion, as the active ingredient to effectively control the growth of bacteria, mold, and mildew.
Blades.....ea **$24.00**

Specify:
#10 ..... 101193 **(216-4574)**
#15 ..... 101192 **(216-4935)**
#30 ..... 101191 **(216-5250)**
#40 ..... 101190 **(216-5677)**
#50 ..... 107637 **(216-9078)**

#4, Skip Tooth
(216-8804) 101198.....ea **$29.00**
#7, Skip Tooth
(216-6318) 101194.....ea **$29.00**
#5, Skip Tooth
(216-5999) 101195.....ea **$32.00**
#5, Elite
(216-1346) 109719.....ea **$38.00**
#7, Elite
(216-9602) 109638.....ea **$35.00**
#10, Elite
(216-2342) 109366.....ea **$32.00**
#40, Elite
(216-9807) 109155.....ea **$32.00**
#50, Elite
(216-5008) 109930.....ea **$32.00**

Oster

Turbo A5® Clipper
Powerful universal motor handles any job with ease. Runs cooler to allow for cooler handling. Compatible with all A5 series blades. Comes with a #10 blade.
#78005-301, Single Speed
Over 3100 strokes per minute.
(216-0919) 115096.....ea **$169.00**

#78005-314, Two-Speed
Over 4000 strokes per minute.
(216-6504) 122264.....ea **$189.00**

Oster

Power Pro™ Ultra Clipper
Optimal combination of power, speed, and sweep for superior cutting performance. Runs at 3300 strokes per minute with less blade heat.
- Lightweight design for increased comfort
- Increased battery run time: 60 minutes, 2 batteries included
- Includes CryogenX blade with AgION® antimicrobial coating

#78400-020, with Size 10 Blade
(216-9806) 115097.....ea **$255.00**
#78400-101, Replacement Battery
(110-2871) 169156.....ea **$43.00**

Oster

Golden A5 Heavy-Duty Clippers
Heavy-duty horse clippers run cool and quiet for reliable, lasting performance. Cryogen-X™ blade technology creates a sharp, smooth blade that operates 30° cooler. Perfect for use on sensitive areas or with anxious horses. With proper, easy maintenance, blades will stay sharp for a lifetime of use. Single-speed motor breezes through even the toughest jobs, just like the pros. Ultratough plastic housing is virtually indestructible. Ample 12' cords are perfect for use in stalls of any barn or stable. Cuts hair at 1800 SPM for general grooming and precision trims. Measures 7½" long.
#78005-050, Single Speed, with #50 Blade
(216-0567) 101179.....ea **$159.00**
#78005-140, Double Speed, with #10 Blade
(216-8686) 103759.....ea **$175.00**

Oster

Blade Wash®
Cleans blades and easily flushes away hair that accumulates on blades and is also superb for lubricating blades and removing factory-applied preservatives.

18-oz Bottle
(216-0443) 101750.....ea **$5.09**

Oster

Kool Lube® 3 Spray Coolant
Lubricates, cools, and cleans clippers. This efficient spray also reduces friction, heat, and blade wear.

14-oz Aerosol
(216-9569) 101177.....ea **$6.59**

Oster

Premium Lubricating Oil
The best nondetergent oil available for use on all clippers and blades.

4-oz Bottle
(216-3589).....ea **$1.79**

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672**
Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381**
Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343**
Fax: **1-888-568-2825**

09VS1214

WAHL®

Bravura® Clipper Kit

A new level of brilliance. Torque control, cord/cordless, 80 minutes of battery operation, powerful, quiet, adjustable 5-position blade. Combines the unsurpassed cutting performance of the Arco SE and features a constant speed control enabling you to achieve the results that professionals demand.

- Torque control
- Cord/cordless
- 80 minutes of battery operation
- Powerful and quiet
- Adjustable 5-position blade

#41870-2001
(930-0399) 119953 .....ea **$159.00**
Contains: cord/cordless clipper, charging storage base, detachable blade set with 5 adjustable sizes from #9 to #40, cleaning brush, clipper oil, 4 snap-on guide combs, blade guard, & instructions.

WAHL®

5-in-1 Champion Blade

This blade fits ARCO SE®, Bravura®, and Chromado® clippers. Features a PVD coating that provides greater wear resistance with very low friction to significantly increase blade life.

(110-8869) 169777.....ea **$35.00**

WAHL®

Super Pocket Pro® Trimmer Kit

Improved antislip grip and durable chrome body that is slightly larger than the original PocketPro, while being quieter and more powerful than ever before. This light-duty trimmer is ideal for precision trimming for ears and paws, but also works great on cat hair.

#9961-1201
(930-5651) 118492 .....ea **$13.00**
Contains: trimmer with #40 fine blade, 1 AA battery, cleaning brush, trimmer oil, 2 attachment guide combs, blade guard, & instructions (clam pack).

WAHL®

Clini-Clip
Blade Cleaner and Disinfectant

Effectively cleans and disinfects clipper blades with one easy spray.

- Bactericidal
- Fungicidal
- Virucidal
- Tuberculocidal

#3701, 8 oz
(930-0006).....ea **$7.49**
#3701-300, 24-oz Refill
(930-0007).....ea **$13.79**

WAHL®

ARCO SE® Cordless Clipper

A new level of endurance. Astonishing power, continuous cordless operation, exceptionally lightweight, amazingly quiet, and adjustable 5-position blade. Combines unsurpassed cutting performance and continuous cordless operation, enabling you to achieve the results that professionals demand.

#8786-2002, Clipper
(930-2067) 119952 .....ea **$139.00**
Contains: professional cordless clipper with indicator light, precision-ground high-carbon-steel detachable blades fully adjustable from #9 to #40, 2 drop-in NiMH rechargeable battery packs, charging base with indicator light, 4 snap-on guide combs, cleaning brush, lubricating oil, blade guard, & instructions.

#2179-301, Fine Replacement Blade
(930-4082) 117914.....ea **$21.00**

WAHL®

MiniARCO® Trimmer Kit

Superior rotary-motor direct-drive trimmer is very fast and powerful, yet lightweight, quiet, and cool running. Features a superior quick-detachable blade set.

#8787-2001, Clipper Kit
(930-4658) 119816.....ea **$65.00**
Contains: cord/cordless trimmer, charger, detachable #30 blade set, cleaning brush, oil, 2 snap-on guide combs, & instruction book.

#2179-1001, Replacement Blade
(930-5266) 117917.....ea **$18.00**

WAHL®

Chro Mini

Combines unbeatable cutting performance and cordless operation for professional results. Features a superior quick detachable blade set.

#41591-04301, Trimmer
(930-1231) 169387 .....ea **$72.00**
Contains: rechargeable/cordless trimmer, charger, detachable #30 blade set, cleaning brush, oil, snap-on guide comb, & instruction book.

#41590-7370, Replacement Blade Set
(930-1702) 169388 .....ea **$17.00**

WAHL®

KM2® Professional 2-Speed Clipper

A new level of efficiency. Specially designed for durability, comfort, ease, and long life. Low speed: 3000 SPM, high speed: 3500 SPM. Designed with all the features that are important to you, as, for instance, a 16' power cord. It's also impact and chemical resistant, fan cooled, and economical, since the sealed motor requires no maintenance or repair parts.

#9757-2001
(930-2066) 119951 .....ea **$119.00**
Contains: clipper, Wahl Competition Series #10 detachable blade set, cleaning brush, blade oil, & instructions.

Please note: All NLS item codes featured in blue.

Challengair™ 560 Cage Dryer
Quiet, powerful, brushless motor. Variable heat and air control, built-in safety timer. Monitors the temperature inside the cage and regulates it to 107.5°. Durable, impact-resistant housing.
(533-1805) 104440 .....ea **$339.00**

Hi-Velocity Cage and Table Dryer
Heavy-duty dryer designed for continuous use by professional groomers. Its powerful motor provides the most heat and highest air speed.
#78304-010
(216-2258) 101747 .....ea **$249.00**

Hi-Velocity Stand Dryer
Adjusts for height, drying angle and air flow direction. Designed to dry pets in their cages or right on the grooming table. Extra-long nozzle and adjustable stand with wheels allow convenience and mobility.
#78309-150
(216-6091) 102391 .....ea **$430.00**

FURminator deShedding Tools
Patented tool with a unique stainless steel edge that removes (doesn't cut) loose, dead undercoat hair quickly and easily without damaging topcoat. Most pet owners' major complaint is shedding and the allergies and cleanliness problems that come with it.
- Reduces shedding up to 90%
- Guaranteed to reduce shedding better than any brush, comb, or rake
- Works great on all long-haired and short-haired dogs and cats
- Brings out pet's natural oils, promoting healthier skin and a shinier topcoat
- Helps to eliminate hairballs in cats
- Comfortable ergonomic-grip handle

Small, 1.75" Edge
(568-2037) 167184 .....ea **$20.00**
Medium, 2.6" Edge
(568-0676) 167185 .....ea **$28.00**

Large, 4" Edge
(568-8837) 167186 .....ea **$34.00**
Cat Tool, Purple, 1.75" Edge
(568-1321) 168067 .....ea **$20.00**

Heavy Duty Nail Scissors
A must for trimming nails of larger breeds.
Small
(642-4329) 102853 .....ea **$9.29**

Cat Claw Clipper
(568-1066) 104422 .....ea **$5.49**

Countertop Display
Offers the opportunity to purchase 2 each (small, medium, large) deShedding Tools that come packaged in a convenient reusable counter display at no extra cost.
(568-3206) 167187 .....ea **$159.00**
Contains: 2 small tools, 2 medium tools, & 2 large tools.

Please note: All NLS item codes featured in blue.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825

VSSi

Adjustable Height Grooming Tub With Backsplash *and* Telescoping Ramp

Stainless Steel Backsplash 24" Above Tub Height

Back Deck makes a convenient place to store supplies

Adjustable Legs
28 1/4"
31 1/4"
or 34 1/4"

18 Gauge, 304 Stainless Steel

Strainer Basket Included

Order With Ramp On Left or Right (shown)

Non-Skid Ramp Surface

Ramp Locks in Upright Position

Easy One-Handed Operation

105-0446-10	60" Grooming Tub With Telescoping Ramp
105-0346-10	48" Grooming Tub With Telescoping Ramp

Standard Grooming Tub

With Backsplash and No Ramp

105-0446-06
60" Standard Grooming Tub

105-0346-06
48" Standard Grooming Tub



Faucets and Sprayers



A	107-0112-00	Single Lever Faucet, 84" Sprayer Hose
B	107-4112-01	Gooseneck Swivel Faucet, 72" Sprayer Hose
C	107-7212-01	72" Hose and Straight Sprayer
	107-7212-02	72" Hose and Angled Sprayer
D	107-1112-02	72" Hose With Faucet, Straight Sprayer
	107-1112-03	72" Hose With Faucet, Angled Sprayer
E	107-1112-10	Swing Nozzle Faucet With Swivel Sprayer Hose, Straight Sprayer
	107-1112-11	Swing Nozzle Faucet With Swivel Sprayer Hose, Angled Sprayer

Convenient Accessories

205-0346-01	Plastisol™ Coated Floor - 48" Tub
205-0446-01	Plastisol™ Coated Floor - 60" Tub
205-0446-00	Stainless Steel Small Animal Rack
205-0446-02	Tie-Down System

Please note: All NLS item codes featured in blue.

SURGICAL INSTRUMENT PACKS

Miltex® Redefining Excellence

CANINE / FELINE SPAY PACK

CANINE
Miltex®#: 6810
MeisterHand®#: MH6810

FELINE
Miltex®#: 6820
MeisterHand®#: MH6820

Qty.	Miltex®	MeisterHand®	Description
1	4-7	MH4-7	#3 Scalpel Handle
1	5-124	MH5-124	Mayo Scissors 6 3/4" Straight
1	6008	V96008	Snook Ovariectomy Hook
2	7-38	MH7-38	Kelly Forceps 5 1/2" Curved
1	5-182	MH5-182	Metzenbaum Scissors 7" Curved
1	6-44	MH6-44	Tissue Forceps 5 1/2" 1x2 Teeth
1	16-6	MH16-6	Allis Tissue Forceps 6" 4x5 Teeth
4	7-504	MH7-504	Backhaus Towel Clamps 3 1/2"
1	6-124	MH6-124	Brown-Adson Forceps 4 3/4" 7x7 Teeth
1	8-16TC	8-16TC*	Olsen-Hegar Needle Holder 6 1/2" (canine)
	or		
1	8-15TC	8-15TC*	Olsen-Hegar Needle Holder 5 1/2" (feline)
2	7-4	MH7-4	Halsted Mosquito Forceps 5" Curved
2	7-172	MH7-172	Rochester-Carmalt Forceps 6 1/4" Curved
1	3-6815	3-6815	Sterilization/Storage Cassette

** MeisterHand™ Kit contains a Miltex® Brand Needle Holder*

GENERAL SURGERY PACK

Miltex®#: 6800 **MeisterHand®#: MH6800**

Qty.	Miltex®	MeisterHand®	Description
1	5-124	MH5-124	Mayo Scissors 6 3/4" Straight
1	4-7	MH4-7	#3 Scalpel Handle
1	6008	MH6008	Snook Ovariectomy Hook
3	7-4	MH7-4	Mosquito Hemostat Forceps 5" Curved
2	7-36	MH7-36	Kelly Hemostat 5 1/2" Straight
1	5-182	MH5-182	Metzenbaum Scissors 7" Curved
1	6-124	MH6-124	Brown-Adson Forceps 4 3/4" 7x7 Teeth
4	7-172	MH7-172	Rochester-Carmalt Forceps 6 1/4" Curved
4	7-506	MH7-506	Backhaus Towel Clamps 5 1/4"
1	8-15	MH8-15	Olsen-Hegar Needle Holder 5 1/2"
1	3-6815	3-6815	Sterilization/Storage Cassette



EYE PACK

Miltex®#: 6830

Set includes:

Qty.	REF	Description
1	4-7	#3 Scalpel Handle
1	18-35	Wire Eye Speculum
1	18-780	Eye Dressing Forceps 4"
1	18-1462	Stevens Tenotomy Scissors 4 1/8" Straight
1	18-1202	Chalazion Forceps
1	18-1828	Castroviejo Needle Holder 5 1/2" Straight
1	3-6835	Sterilization/Storage Cassette



ORTHOPEDIC PACK

Miltex®#: 6840

Set includes:

Qty.	REF	Description
1	9-40-20	Suture Wire, 20 Guage
1	9-40-30	Suture Wire, 30 Guage
1	9-124	Wire Cutter
1	11-74	Senn Retractor, Sharp
1	11-76	Senn Retractor, Blunt
1	11-608	Weitlaner Retractor
1	18-1968	Freer Elevator
1	19-708	Bone Curette
1	19-792	Mallet
1	21-369	Bone File
1	22-500TC	Wire Twister
2	26-120	Gigli Handles
1	26-130	Gigli Saw
1	27-4	Kern Bone Holding Fcps, Lg
1	27-7	Kern Bone Holding Fcps, Sm
1	27-158	Pin Cutter
1	27-1390	Bone Cutting Forceps
1	27-603	Osteotome
1	3-6845	Sterilization/Storage Cassette

Miltex® Redefining Excellence
INTEGRA™

www.miltex.com
phone 866-854-8300
fax 866-854-8400

Illustrations and content signify general description only and may be subject to minor changes. For additional information, an in-office demonstration, or to place an order, please contact your local Henry Schein/NLS Representative, or Miltex, Inc. Customer Service at 1-866-854-8300, email customerservice@miltex.com, or visit us at www.miltex.com.

Miltex and MeisterHand are registered trademarks of Miltex, Inc., a subsidiary of Integra LifeSciences Corporation. Miltex Redefining Excellence is a trademark of Miltex, Inc. The Integra wave logo is a trademark of Integra LifeSciences Corporation. Copyright © 2008 Integra LifeSciences Corporation.

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

09VS1214

HESKA

Vet/IV™ Infusion Pumps
Offers affordable infusion therapy in a compact, lightweight device. It features a flow rate from 0.1 to 999 mL/hour, which allows the veterinarian to treat any size patient. Programming capabilities allow the veterinarian to preprogram 10 different sequential rates to automatically increase or decrease infusion therapy.
- Weighs 2.6 lb
- Hangs from a treatment cage or IV pole mount
- 3 pressure settings for different patient conditions
- Calibration available for Abbott or Baxter lines
- Rechargeable battery and A/C power

Infusion Pump, Abbott
(428-9573) 162996.....ea **$1,150.00**
Infusion Pump, Baxter
(428-0057) 162997.....ea **$1,150.00**

JorVet™

VetPro Twins
This is one of the smallest dual-infusion pumps on the market. Multiple pumps are unnecessary with this small but powerful pump that will take care of all clinic needs.
- Run dual IV lines at the same time
- Run 1 mL/hr to 1200 mL/hr infusions
- 7½ hours on a fully-charged battery, 4–6 hours to charge
- User-friendly programming

#J-1098
(113-2900) 170839 .....ea **$2,620.00**
Baxter Calibration
#J-1098B
(113-6508) 170840.....ea **$2,620.00**

JorVet™

VetPro Infusion Pump
Features a user-friendly keypad with full-text LCD. The pump is easy to program and now more portable with a 15-hour run time on the battery. MRI-compatible pumps also available.
- Smaller is better
- Select Abbott or Baxter
- Battery or AC use
- All fluids including blood
- Weighs about ½ lb
- Size of a soda can

#J-1097
(113-2893) 170837.....ea **$1,265.00**
Baxter Calibration
#J-1097B
(113-6507) 170838.....ea **$1,265.00**



JorVet™

VetPro 3000 Veterinary Syringe Pump
Designed to give small quantities in precise time and volume. Syringe range: 2 mL to 50mL (any brand).
Features:
- Automatic syringe detection: brand, volume, size
- Operated by battery or AC power

#J-1096
(113-2889) 170984.....ea **$1,265.00**

JorVet™

JorVet™ Infusion Pump
- Lightweight: weighs less than 5 lb
- Works with all quality standard IV sets (15–20 drops/mL, or micro 60 drops/mL)
- Administers 1–999 mL/hr
- 110 V/60 Hz rechargeable ni-hydrogen battery with 5-hour operation time
- 7"W x 9"H x 5"D
- 2-year warranty

#J-1060
(108-4239) 167810 .....ea **$895.00**

Please note: All NLS item codes featured in blue.



MEDICAL ILLUMINATION INTERNATIONAL
WHERE ILLUMINATION IS DEFINED

Centurion Surgery Lights Standard

A revolutionary midrange surgery light that offers exceptional performance and features. Includes a highly efficient, single-reflector design, ensuring optimal shadow reduction, and the 21st Century Series exclusive Centra arm-delivery system.

- Prefocused spot at a distance of 36" (914 mm) from lamp head to provide homogeneous light with 4000 foot-candles (43,000 lux) and color temperature of approximately 4000°K
- Easily replaceable, low-cost, long-life, 12V/90W halogen bulb
- 15" (380-mm) diameter elliptical reflector
- IR-absorbing, color-correcting glass cylinder
- 28" (711-mm) articulating arm with integral compression spring
- 23" extension arm
- Arm rotates 40° up and down from horizontal plane
- Lamp head and arm both rotate 540°
- Removable, sterilizable handle
- Additional positioning handle mounted on perimeter
- Available in portable floor, wall, single-ceiling or dual-ceiling mounts, combination ceiling mounts with Centura or Centry and ChuttleTrak ceiling track mounts

#021514, Single Ceiling Model
(521-2902) 170223 .....ea **$1,649.00**

#021515, Dual Ceiling Model
(521-0966) 170121 .....ea **$3,329.00**

#021512, Wall Model
(494-7469) .....ea **$1,575.00**

#021513, Portable Floor Model
(521-3947) .....ea **$1,710.00**

#028515, Centurion/Centura Combination Ceiling Model
(521-6689) .....ea **$3,420.00**

#029515, Centurion/Centura with Fiber-optic Light Source Combination Ceiling Model
(521-3202) .....ea **$3,700.00**

MEDICAL ILLUMINATION INTERNATIONAL
WHERE ILLUMINATION IS DEFINED

Medi-Lite Single Ceiling Mount Reflector

- 3500 foot-candles (37,700 lux) at 36" (914-mm) distance
- 3700°K color temperature
- Quartz/halogen bulb for long life
- 13" (330-mm) diameter reflector for great shadow reduction
- Heat-absorbing, color-correcting glass cylinder
- 42" (107-cm) arm extension to center–a full diameter of 84" (214-cm) coverage
- Removable, sterilizable handle
- Available as wall, portable floor, single, or dual ceiling mounts and combination ceiling mounts with Medi-Spot or E-Z Glide ceiling track mount

This handsome 13" (330-mm) reflector light represents all the advantages of the Medi-Lite series.

#011314, Single Head
(521-0171) 170222.....ea **$1,015.00**

#011315, Dual Ceiling Model
(242-9148) 170221 .....ea **$1,950.00**

#011312, Wall Model
(521-2476) .....ea **$925.00**

#014315, Medi-Lite/Medi-Spot Combination Ceiling Model
(828-5047).....ea **$2,260.00**



MEDICAL ILLUMINATION INTERNATIONAL
WHERE ILLUMINATION IS DEFINED

Centurion eXceL Lights

Features a larger reflector, higher output, a larger pattern, and improved shadow control. Available in all of the normal 21st Century Series mounting options: Wall, Portable, Single, Dual, or Combo Fixed Ceiling Mounts.

#051514, Single Ceiling Model
(648-0771) 170120 .....ea **$1,990.00**

#051515, Dual Ceiling Model
(831-0533) 170222 .....ea **$3,900.00**

#058515, Centurion eXceL/Centura combination Ceiling Model
(106-0091).....ea **$3,630.00**

#051512, Wall Model
(110-8459) .....ea **$1,975.00**

#051513, Portable Floor Model
(108-8181) .....ea **$3,010.00**

- Prefocused 6" (150-mm) spot, at a 1-m distance
- 6000 foot-candles (64,500-lux) output at 1 m
- 16" (406-mm) diameter, multifaceted reflector for excellent shadow control
- IR-absorbing, color-correcting glass cylinder
- 90W halogen bulb: quick bulb replacement
- 28" (711-mm) articulating arm with integral compression spring
- 23" extension arm
- Lamp head and arm both rotate 540°
- Arm moves 40° up and down from horizontal plane
- Standard removable, sterilizable handle
- Additional positioning handle on perimeter of light head
- Removable, sterilizable handle
- Available mountings: Wall, Portable, Single, Dual, or Combo fixed ceiling mounts, and Chuttletrak ceiling track mounts

Please note: All NLS item codes featured in blue.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825



VSSI Surgery Light

1 Optimal Shadow-Free Lighting
1 15" Reflector Prefocused 6" Spot at 36" 4000 Foot-Candles
1 12V/100W Halogen Color Corrected to 4000 Kelvin
1 55.5" Articulating Arm Rotates 40° Up/Down
1 Removable Handle for Sterilizing

Call for Pricing

121-0215-12 Wall Mount
121-0215-14 Single Ceiling Mount
121-0215-15 Dual Ceiling Mount
121-0285-15 Combination Surgery/Spot Light Dual Ceiling Mount
121-0515-14 Excel light with 16" Reflector Single Ceiling Mount

BURTON

Gleamer® Task Light with Extension Arm and Universal Mount

Designed for the most demanding specifications of healthcare facilities: high intensity, cool operation, compact design, low cost, and rugged operation.

- Up to 4166 foot-candles
- Color temperature of 3700°K
- Cool housing temperature and low infrared light
- 6" spot
- Optimal form and function; 17" (43 cm) rugged gooseneck and 16" (41 cm) extension arm
- Trouble-free design
- 4000-hour, 35-W halogen bulb

Unit with Extension Arm and Universal Mount, #GL30W
(954-7406) 168816 .....ea **$550.00**

Floor Stand, #GL30FL
(711-2676) .....ea **$560.00**

BURTON

Visionary® O.R. Surgery Lights

Extremely compact, superb styling, patented optics, low head, focusability, and incredible movement at a fraction of the cost of the industry standard.

- 20" (51-cm) diameter light head
- Up to 7500 foot-candles (81,000 lux) at 1 m
- 4000°K color temperature
- 4"–8" (92-mm–206-mm) spot size
- 360° limitless rotation around vertical axes
- Focuses with autoclavable handle
- Cool operation ensured with special patented heat filter and reflector system
- 4–35-W quartz halogen bulbs, each with a 2,000-hour bulb life
- 115 V comes standard

Single Ceiling, #VS10SC
(711-9169).....ea **$4,360.00**

Double Ceiling, #VS10DC
(711-8599).....ea **$7,450.00**

BURTON

Outpatient® II Diagnostic Lights

Includes focusability, a pure-white intense light with a flood-type pattern, and a guaranteed no-drift arm. 3 halogen bulbs wired in parallel to ensure continuous light output.

- 3600°K color temperature
- Enhanced illumination and focusability
- 8000 foot-candles (40% brighter)
- Focuses with central removable autoclavable SteriHandle™ II
- Friction knob allows user to position self-balancing arm without a tool
- Uses 3 optically-improved 50-W halogen bulbs, each with a 2000-hour life
- Floor stand includes foot switch, locking casters, and cord wrap

Single Ceiling, #OP216SC
(711-9224) 105167.....ea **$1,850.00**

Floor Stand, #OP216FL
(691-1138) 119539 .....ea **$1,850.00**

Double Ceiling, #OP216DC
(711-3570) 106690.....ea **$3,270.00**

Please note: All NLS item codes featured in blue.

Ritter by MIDMARK

#355 Ritter Minor Surgery Lights

The perfect balance between quality and affordability. Counterbalanced to provide precise positioning without drifting. Features a large pattern size with an even distribution of light throughout, unsurpassed shadow control, and superior foot-candle illumination.

- Includes quartz halogen bulb(s)
- UL listed and CSA certified
- Lightweight: 55 lb

#355-025, Single Ceiling Light, 8'
(386-7013) 169801.....ea **$1,950.00**

#355-028, Single Ceiling Light, 9'
(386-0236) 169802.....ea **$1,950.00**

Dual Ceiling Light.....ea **$3,625.00**

Specify:
#355-031, 8'.....169800 **(386-4894)**
#355-034, 9'.....168903 **(386-3405)**

Ritter by MIDMARK

#355 Ritter Minor Surgery Lights

The perfect balance between quality and affordability. Counterbalanced to provide precise positioning without drifting. Features a large pattern size with an even distribution of light throughout, unsurpassed shadow control, and superior foot-candle illumination.

- Includes quartz halogen bulb(s)
- UL listed and CSA certified
- Lightweight: 55 lb

#355-022, Mobile Caster Base
(386-9373).....ea **$1,950.00**

THE BREWER COMPANY

Featherlight™ 3000 Minor Surgery Light Series

- 5000 foot-candles at 24"
- Color temperature of 3,000°K
- 540° rotation of head and yoke for effortless positioning
- 3–50-W halogen bulbs wired in parallel to assure continuous operation
- Low-voltage operation minimizes electrical hazards
- No-drift counterbalanced arm design positions with one-handed ease
- Sterilizable handle
- 115 V, 0.5 amps, 60 Hz

Ceiling Model, #163003
(550-1892).....ea **$1,605.00**

Floor Model, #163002
(550-7877) 103669.....ea **$1,605.00**

Wall Model, #163001
(550-9854).....ea **$1,605.00**

WelchAllyn

Solid-state Procedure Headlight

- 80 lumens of bright, white light for true tissue color
- Variable spot size
- Can be powered with AC or belt-mount battery pack
- 1 hour of battery life
- 10,000 hours of solid-state lamp life

#49020
(566-4821) 101501.....ea **$629.00**

BURTON

Ultraviolet Woods Light

- Portable handheld light for maximum flexibility
- Optically ground and polished glass magnifier lens with 3X magnification and 8″ focal length
- Made in US

#UV502
#316020, with Magnifier and 2 UV Bulbs
(711-8017) 100477.....ea **$319.00**

WelchAllyn

Halogen Penlite

- Halogen light provides true tissue-color rendition
- Highly durable solid brass construction

#76600
(566-4761) 104190.....ea **$40.00**
Contains: halogen penlight, 2.5-V halogen lamp, & 2 AAA batteries.

Please note: All NLS item codes featured in blue.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825

UNICO®

G380 Microscope

Designed for viewing comfort, this microscope provides crisp, clear imaging on a versatile, ergonomic platform. Available in a variety of optics choices and body configurations. Standard 10X High Eye-Point eyepieces are engineered to reduce eyestrain for users who wear glasses. Each eye tube features independent focusing diopter adjustment to compensate for the natural vision differential between each eye. Base design adds stability to the body and allows extra room for hand access to the oversized coarse-focus and fine-focus controls and easy access to the coaxial mechanical stage controls.

(281-4869) .....ea **$605.00**

Contains: dust cover & 2 extra fuses.

UNICO®

H604 Clinical Binocular Microscope

This top-of-the-line clinical microscope features plan optics for superior image quality and flat field of view. Fully scalable, the scope comes with 4 plan achromat objectives—4X, 10X, 40X and 100X—and a 5-hole reverse nosepiece to allow an extra objective. Accessories available upon request include 20X and 60X objectives, a trinocular head, phase contrast, darkfield, polarizing sets, and camera adapters and reticules to expand the range of applications. Scope features a Seidentopf binocular head that rotates 360° with paired 10X wide-field eyepieces and dual diopter control. The illumination system features precise control of Koehler illumination, field diaphragm, a 6-V/20-W quartz halogen bulb with an intensity rheostat and iris diaphragm built into the ABBE NA 1.25 condenser. There is precise focus and slide control through coaxial coarse- and fine-focus knobs and low-position coaxial mechanical stage X-Y axis controls. Complete with 5-year warranty, dust cover, blue/yellow/green filters, and an extra fuse.

(102-3557) .....ea **$1,285.00**

HR-C Binocular Loupes

Compact and lightweight loupe. High resolution, achromatic optics with exclusive multicoating technology for brightest, crispest images. Adjustable optics and a three-point adjustable mounting arm. Water resistant and dust resistant.

Complete Set.....ea **$829.00**

Contains: 1 HR-C loupe on S-frame, 2 sterilizable levers, 1 retaining strap, 1–50-mL cleaning fluid & 1 carrying case.

Specify:

2.5X-340 mm .....169386 **(509-9780)**

2.5X-420 mm ..... 170115 **(509-6143)**

Miltex®

Miltex® 300 Series Magnifying Loupes

The 300 Series (3X) is an ideal optic for those who have worked with a 2.5X magnification power optic and want to increase in power. This series optic provides a view of the entire area of focus and has an excellent depth of focus.

Red, 13"–16"

(113-3966) 170990 .....ea **$785.00**

Multiple options, including 250 series also available.

JorVet™

Mini-VID® Microscope Eyepiece Cameras

This small camera is ideal for watching microscope slides on TV. It slips into a microscope's eyepiece and hooks directly to any TV. Focus through remaining eyepiece. Fits all brands of microscopes, and RCA plug-on end fits all TVs and VCRs.

#J822

(109-3131) .....ea **$450.00**

JorVet™

Infinity Labscope

Best optical system for highest clarity and resolution. It has LED illumination, 4 semiplan objectives, 10 x 20 super-wide high-point eyepieces, and is ergonomically designed.

#J334Q, Binocular

(110-2307) 169296.....ea **$999.00**

JorVet™

OmniVid Camera

Features built-in live video on a bright 2" LCD screen, 8 megapixel digital imaging, and MPEG4 video directly onto included SD memory card. Connect to any size TV for training large groups or any PC for capturing digital images. Mounts directly onto any microscope trinocular head with a C-mount threading.

#J475CV

(111-2645) 169817 .....ea **$1,499.00**

Please note: All NLS item codes featured in blue.

Monitoring a Must

Show your customers that hand-me-downs and medical monitors will not ensure the safety of their patients

While it is generally safe to anesthetize animals during surgery, there are risks involved. For instance, hypotension, or low blood pressure, can lead to oxygen deprivation in the brain and other vital organs, causing shock and death. Hypoventilation can occur when the exchange of oxygen and carbon monoxide is inadequate. Although the animal may appear to be breathing normally, inadequate oxygen or a build-up of carbon dioxide in the blood can cause the blood to become more acidic, leading to impaired cellular function. Close monitoring can better equip veterinarians to protect their patients from these and other complications. When distributor reps know the ins and outs of monitors, they can ensure their customers are at the top of their game when it comes to patient safety.

How they work

Monitors today can detect all five vital parameters recommended for human patients by the American Society of Anesthesiology. These include:

- **Blood pressure.** Measures indirect cardiac output and the mechanical function of the heart, as well as anesthetic depth. Veterinarians can benefit from monitors that provide animal-specific algorithms, a broad heart range to accommodate large and small animals, and a wide selection of small animal cuffs.
- **End tidal CO2.** Provides instant feedback on the patient's ventilation status.
- **EKG.** Looks at the rate and rhythm of the heart. Lead placement is critical. For instance, as cats age, the angle of their heart changes, and the vet may not get the same waveform as with a young kitten. In addition, vet-specific algorithms and multiple filters to eliminate baseline noise are also important.
- **Temperature.** Hypothermia, or a drastic drop in body temperature, presents a danger to any animal. Some breeds of dogs also are susceptible to hyperthermia, or an extremely elevated temperature.
- **SpO2 or oxygen saturation of hemoglobin in the blood.** Newer digital technology reportedly mitigates artifacts caused by patients moving (e.g., shivering or panting) or poor perfusion. A variety of sensors are available, including tongue clips and reflectance sensors.

While all of the five parameters provide information critical to a patient's well-being, blood pressure and end tidal CO2 enable the veterinarian to be proactive and prevent any unnecessary complications. Normal blood pressure indicates that the patient's heart is working well. Similarly, monitoring end tidal CO2 helps measure pulmonary function. The veterinarian can identify a detrimental situation within a couple of breaths, before it results in cardiac arrest. EKG, temperature and oxygen saturation are important as well, but have slower feedback.

Invasive vs. noninvasive blood pressure

Invasive blood pressure monitoring, or direct arterial pressure monitoring, in which a catheter is inserted directly into the patient's artery, is more accurate than non-invasive monitoring. It measures pressure from within the artery using a computer algorithm to interpret the strength and duration of the pulse. However, it is not practical to use this approach during most surgical procedures, according to experts.

Non-invasive or indirect methods are relatively accurate and widely accepted for determining blood pressure. Two primary indirect methods include Doppler and oscillometry.

Doppler devices – manual systems comprised of a pressure cuff and an acoustic transducer – do not provide much information beyond the patient's systolic pressure. The vet or assistant must shave a spot on the animal's limb and apply ultrasonic gel and the transducer, which is connected to headphones. Then, the user pumps up the cuff, which cuts off the patient's blood flow. The pressure is let out, and the moment at which the blood begins to flow again is the measure of systolic pressure.

Article provided by Veterinary Advantage, featured in May/June2009 edition of Veterinary Advantage Magazine

Please note: All NLS item codes featured in blue.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825
09VS1214

Although early human oscillometric devices did not provide reliable reading in smaller veterinary patients, today's more vet-specific systems are said to be automatic, fast and efficient, even with cats and dogs, and they are growing more popular among veterinarians for measuring blood pressure. Whereas a Doppler device requires the veterinarian's assistant to manually take the patient's blood pressure every three to five minutes, most oscillometric devices can be cycled to measure blood pressure at periodic intervals. In addition, they include alarms that are pre-set to alert the veterinarian if the patient's blood pressure becomes too high or too low. Oscillometric systems are hands-off and the vet can focus on the surgery. Whether veterinarians opt for Doppler or oscillometric technology, the distributor rep must help his or her customers select the right cuff sizes for patients to ensure the greatest accuracy.

Just as reps should understand the difference among the various monitoring technologies, so too should they recognize – and convey to their customers – that monitors designed for humans do not perform as well on animals. Because animal heart rate and blood pressure are monitored differently than human heart rate, it is important that veterinarians rely on systems with animal-specific algorithms.

Cost and value

Monitors vary in price, depending on how comprehensive they are and whether or not they are automatic. Although some veterinarians may prefer to add different monitors to measure different parameters, one comprehensive, automatic monitor can be much more efficient. All of the data is supplied in one place, and fewer wires must be connected. And, in the end, it may be more economical, as the veterinarian must purchase less equipment.

An automatic monitor that measures all five parameters can cost between $5,000 and $9,000. Veterinarians unable to afford such a monitor may opt to start out with a blood pressure monitor designed for both the exam room and the OR. By establishing an efficient blood pressure screening program, the practice can generate additional revenue and at some point buy a pricier, more comprehensive monitor.

How to sell

As with many products, distributor reps should explore their customers' needs before suggesting a monitor to best meet them. Find out what the veterinarian generally monitors or would like to monitor. Explain the importance of using technology designed specifically for animals, rather than using human hand-me-downs. And find out if your customers understand the importance of end-tidal CO2.

Some of the most common objections veterinarians have to purchasing new monitors involve cost. Some veterinarians believe their human monitor works just as well on animals. Others are nervous about replacing several older pieces of monitoring technology with a newer all-in-one model because they fear that if a comprehensive system fails, they will be without any monitoring technology. True, monitors can fail, but this often is due to user error or because accessories wear out. Manufacturers generally provide a loaner program, so it is up to the distributor rep to keep his or her customers apprised of this.

Accessories

Monitor accessories play a critical role in the monitor's performance and, as such, should be replaced before they wear out. In most cases, the cost of replacement is reasonable:

- **Blood pressure.** Blood pressure cuffs should be replaced when the Velcro wears out. Veterinarians should not rely on tape to hold cuffs together, particularly since it can lead to inaccurate readings, and a new cuff costs roughly $6.
- **End tidal CO2.** Veterinarians should replace the adaptor for the main stream CO2 and periodically replace the sampling line for the side stream CO2. The replacement cost is $20 or less.
- **ECG.** As the ECG clips and wire leads fray or break, they, too must be replaced.
- **Temperature.** Temperature probes generally are durable and last a long time. Eventually, though, they too may have to be replaced.

Educating your customers on the value of monitors can help them save lives, increase revenue and improve the reputation of their clinic. ■

Editor's Note: *Vet-Advantage* would like to acknowledge the contribution of Sharn Veterinary Inc. (Tampa, Fla.), a division of Midmark Corp.

Please note: All NLS item codes featured in blue.

09VS1214

To Order from Henry Schein, Call: **1.800.872.4346** 8am–9pm, et • To Fax: **1.800.483.8329** 24 Hrs
www.henryschein.com/veterinary

SurgiVet™

SurgiVet® Advisor® Vital Signs Monitor

With its large, easy-to-read display and intuitive design, the Advisor® is available in multiple configurations.

Standard parameters include ECG, digital pulse oximetry, heart rate, non-invasive blood pressure and built-in battery. Optional parameters include End Tidal CO2, respiration rate, 2-channel temperature, 2-channel invasive blood pressure and an integrated printer. There is also an optional accessory, the Data Logger, which allows technicians to save patient-specific data from the Advisor®, such as trend data, 30-second primary ECG waveform image, a screen image and an anesthesia record on to a PC and attach as a file to an electronic patients record, review it, print it or Email it.

- Quality monitor with proven reliance in the market
- Easy-to-use point-and-click user interface
- 10.4-inch active matrix color TFT display
- 3 monitoring modes that adjust ECG sensitivity, cuff inflation, pressure and alarm limits
- Technical and clinical support by on-staff Certified Veterinary Technicians with extensive experience and product knowledge
- Two-year warranty with comprehensive service and support

				Sale
(111-3514)	V9200	165161	3- or 5-Lead ECG, Digital SpO2, Heart Rate and Non-Invasive Blood Pressure	$3,999
(106-4026)	V9201	165162	3- or 5-Lead ECG, Digital SpO2, Heart Rate and Non-Invasive Blood Pressure, End Tidal CO2, and Respiration	$5,999
(601-0372)	V9203	165163	3- or 5-Lead ECG, Digital SpO2, Heart Rate and Non-Invasive Blood Pressure, 2-Channel IBP, End Tidal CO2, 2-Channel Temperature, and Respiration	$5,999
(244-1907)	V9204	165164	3- or 5-Lead ECG, Digital SpO2, Heart Rate and Non-Invasive Blood Pressure, 2-Channel Temperature End Tidal CO2 and Respiration, and a Built-in Printer	$6,829

The items included with the SurgiVet® Advisor®

All models:

- Tail Wrap Sensor (V1710)
- Large "Y" Sensor (V1711)
- Mini Clip Sensor (V3078)
- Oximetry Extension Cable (3311)
- Power Cord 110V (3005)
- 3005A Power Cord 2 Prong-Europe (Optional)
- ECG 3-lead 40" (V3110TLS) and 3-Lead ECG Cable (V3110TL) OR
- ECG 5-Lead 40" (V3406FLS) and ECG 5-Lead ECG Cable (V3406FL)
- Blood Pressure Cuffs (V6148SA)

Models V9203 & V9204 also include:

All items above plus:

- Temperature Probe (V3417)
- Temperature Cable (V3413)
- IBP Transducer Cable (V6401)
- Transducer Kit, Includes 1 Transducer and Extension Set (V6402)
- CO2 Monitor Exhaust Kit (1175), plus model V9201
- CO2 Moisture Trap (8075), plus model V9201
- 8 ft. sample line (1186), plus model V9201
- Printer paper (6111) with any Advisor® ordered with printer option

SurgiVet™

V3404P: ECG, Digital SpO_2, Temperature and Respiration

- Advanced, patented digital pulse oximetry with serial autocorrelation (SAC) technology
- Heart rates to 350 bpm for veterinary use
- 3- or 5-lead ECG capabilities
- Easy-to-read electroluminescent display
- Menus-style screen and full alarms
- Rechargeable batter
- Optional add-on printer (V3408)
- Optional V3362 PC interface cable available for connection to any PC
- **ECG with Digital Pulse Oximetry version also available, (V3404)**

The items included with the V3404 Monitor Series:

- Tail Wrap Sensor (V1710)
- Large "Y" Sensor (V1711)
- Oximetry Extension Cable (3311)
- ECG 3- Lead 40" (V3110TLS) and 3 Lead ECG Cable (V3110TL) OR
- ECG 5- Lead 40" (V3406FLS) and 5-Lead ECG Cable (V3406FL)
- 1 Charger 105–125V
- Operations manual (V1888)
- 1 Temperature cable (V3413) and probes (3417), V3404P only
- 1 Respiration sensor (V3422), 3404P only

V3404P
(701-3124) 160250.....Ea. **Sale $3,099**

SurgiVet™

V3395 TPR Temperature, SpO_2 and Respiration Monitor

- Advanced Digital SAC oximetry for demanding veterinary applications
- Good for low perfusion and/or high motion situations
- Print at intervals up to 15 minutes
- Plethysmographic waveform displayed
- Can be used in a wide variety of applications including: surgery and prep areas as well as in the field
- SpO_2, temperature and respiration on all patients from exotics to horses
- Quantitative pulse bar strength
- Adjustable, visible, and audible alarm limits
- Rechargeable battery
- Extremely portable
- Optional Infrared Printer Available (8411)

The items included with the TPR Monitor:

- AC Charger (V3396) or 220 volt (V3397)
- 1 Tail Wrap Sensor (V1710)
- 1 Large "Y" Sensor (V1711)
- 1 Reflectance sensor (1700)
- 1 Temperature cable (V3413) and Probe (V3417)
- 1 Respiration cable (3422)
- 1 5 ft. Oximetry ext. cable (V3311)
- Operations manual (V1907)
- Protective Boot (V3419)

V3395
(285-9471) 117939.....Ea **Sale $1,399**

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

Bionet

BM5Vet-CS Veterinary Vital-Signs Monitors

Portable, Enhanced Multiparameter

Boasts 2 IBP modules, 2 temperature modules, and $EtCO_2$, in addition to ECG, respiration, NIBP, and SpO_2. Screen displays all vital signs in different colors for easy recognition and enables you to monitor patients clearly, even in the most difficult lighting conditions.

- 10.4" color TFT screen (800 x 600)
- VGA output allows clinician to connect to an external monitor
- Visible alarm lamp handle
- Arrhythmia analysis: VTAC, VFIB, and ASYSTOLIC

Unit with $EtCO_2$

(106-8258) (170692) .....ea **$5,065.00**

Bionet

BM3Vet Next

Multi-Parameter Portable Veterinary Monitor

Versatile, portable, and lightweight, this monitor is specially designed to be used in vet surgery, treatment, or cage areas. Compact design with unique handle makes it easy to move from room to room. Its 7"-wide color monitor displays all the vital signs that you want in different colors to recognize each parameter easily. Built-in printer offers documentation of all measured values as well as up to 4 waveforms of information. Alarms and settings are easily adjustable and can be retained after turning off the power.

Features:

- ECG, $Sp0_2$, NIBP, respiration and temperature
- 7" high-resolution wide-screen monitor
- Individual sweep-speed setting for each parameter
- Multiple display models
- Remembers your settings
- 120 full hours of trend data are stored
- 20 cases x 10-second alarm waveform are stored
- Includes B-Link software for data collection
- ST level, PVC count real-time display
- Very low perfusion $SP0_2$ measurement
- Li-ion rechargeable battery allows cordless use for up to 2 hours

(330-0023) (170195) .....ea **$2,175.00**

BM3Vet Next is a replacement and enhanced successor for both BM3Vet and BM3Vet Plus. BM3Vet and BM3Vet Plus are now discontinued.

Cardell Multiparameter Monitors

SHARN VETERINARY, INC.

MAX-12 HD

(110-3991) (169473) **$7,724**

Cardell® Multiparameter Monitor with 12.2" Screen and Integrated Printer. BP/SpO2/3-Lead ECG/CO2/ Resp/Temp.

Includes Monitor, 13 BP Cuffs (7 sizes), Nellcor Lingual SpO2 Sensor w/10' Cable, 3-Lead ECG Set w/Cable, 3 CO_2 FilterLine Sets, Temp. Probe, Power Cord, RS232 Interface Port, 1 Paper Roll, Manual.

MAX-12 HDi

(110-3993) (169474) **$8,654**

Cardell Multiparameter Monitor (same as above) w/Invasive BP.

Includes same items as above plus Pressure Transducer & IBP Cable.

MAX-12 HDm

(110-3996) (169475) **$9,647**

Cardell Multiparameter Monitor (same as MAX-12HD) w/Multigas Monitoring.

Includes same items as MAX-12HD plus Multigas Probe.

MAX-12 HDim

(110-4003) (169476) **$10,577**

Cardell Multiparameter Monitor (same as MAX-12HD) w/Invasive BP and Anesthetic Gas Monitoring.

Includes same items as MAX-12HD plus Pressure Transducer & IBP Cable and Multigas Probe.

9500 HD

(110-5673) (169985) **$3,711**

Cardell BP/SpO2/ECG/Resp/Temp Monitor

Includes Monitor, 13 BP Cuffs (7 sizes), Nellcor Lingual SpO2 Sensor w/10' Cable, 3-Lead ECG Set w/Cable, Power Cord,Air Hose, Paper, Manual.

#9500HDC ***CO2 upgrade available at any time for $2,200.***

Item Code	Description	Sell Price
(425-1817) (163600) Mfr.# 9401	Cardell BP Monitor	**$1,940.00**
(425-7462) (161142) Mfr.# 9402	Cardell Bp + SpO2	**2,743.00**
(425-8211) (105886) Mfr.# 9403	Cardell Bp + SpO2 + ECG + Resp. with Temp. capability	**3,663.00**
(425-1547) (122741) Mfr.# 9404	Cardell Bp + ECG + Resp. with Temp. capability	**2,756.00**
(675-1801) (165916) Mfr.# 9405	Cardell Bp + SpO2 + ECG + CO2 + Resp. with Temp. capability	**5,755.00**
(425-2172) (122741) Mfr.# 9454	SHARN SpO2+ECG+Resp. with Temp capability	**3,203.00**

Please note: All NLS item codes featured in blue.

SurgiVet™

#V9400 Capnograph and Agent Monitor

Intended to be used in intensive veterinary facilities where capnography and halogenated agents need to be monitored.

- Ability to monitor halogenated agents (isoflurane, halothane, and sevoflurane)
- Display features $EtCO_2$ waveform, large numerics for $EtCO_2$, inspired CO_2, respiratory rate, expired and inspired agents
- High-resolution display; vacuum fluorescent
- Sidestream technology offers ability to monitor both intubated and nonintubated patients
- Patented moisture-removal system
- Fully adjustable visual and audible alarms for all parameters
- Lightweight and portable for demanding environments

Complete Unit
(323-2459).....ea **$3,530.00**

Contains: 1 AC power cord (#V1614) or 220V (#V1615), operations manual, 1 CO_2 monitor exhaust kit (#1175). Also contains 1 start-up kit: 6 nasal cannula sample lines (#1186), 6–8' sample lines (#V8044), 2 Aquaknot filters (#1178N), 1 CO_2 filter (#9048), & 6 airway adapters (#V1100).

SurgiVet™

Capnocheck® Capnometer

Pocket-sized, fully quantitative capnometer monitors carbon dioxide concentrations and respiratory rate in one easy-to-use device. This ultra-compact capnometer monitors patient $EtCO_2$ data through each phase of patient care.

- Miniaturized mainstream device
- Pocket size and lightweight (2.1 oz)
- Battery powered: 2 AAA
- No calibration required
- No warmup time

#WW8110-001SYS, With Alarms
(111-3709) 171034.....ea **$990.00**

NIHON KOHDEN

Cardiofax Vet Veterinary ECG

Highly reliable 6-lead electrocardiograph for dogs and cats. It provides not only 6 channels resting recording but also 1- or 3-channel rhythm recording on 110-mm paper from a built-in thermal array printer.

This ECG includes:

- Software: Nihon Kohden's comprehensive ECAPS12V interpretation program
- Color display (320 x 240 QVGA)
- Compact and lightweight
- Data storage: Up to 40 ECG files can be stored in internal memory. Approximataely 3000 ECG files can be stored in a 64MB SD card
- Data entry: Can easily enter name of dog or cat, ID, and other information with the alphanumeric keys on panel
- Warranty: 4-year manufacturer's warranty

ECG-1950K-V
(113-5761) 170965.....ea **$2,570.00**

PA9000z, EKG Paper
(109-9162).....10/box **$69.00**

SHARN VETERINARY, INC.

CardEX™ 300

- Complete digital design with veterinary-specific algorithms
- Simultaneous 5-lead acquisition
- Supports all 7 vectors (Leads I, II, III, aVR, aVL, aVF, V)
- High-resolution, built-in 3-channel thermal printing
- 4 print modes (auto, manual, rhythm, USB)
- Print speeds (mm/sec) 5, 6.25, 10, 12.5, 25, 50
- LCD waveform display; configurable
- Multiple digital filters avoid baseline drift, AC, EMG interference
- Automatic baseline adjustment for optimal recording
- Lead-off detection/alarm; paper-out/low-battery alerts
- 120-patient data storage
- Transfer to PC via USB flash disk, Ethernet, or Serial port
- ECG data can be reviewed and managed on Windows® software (optional)
- Built-in, high-capacity, rechargeable Li-ion battery (≥3 hrs); AC/DC supply
- Well-designed touch panel for easy operation
- Auto or manual operation
- Light (5.5 lb) and compact; optional carry bag

Model 300
(113-0824).....ea **$1,250.00**
Software
(113-0825).....ea **$350.00**

SHARN VETERINARY, INC.

CardEX™ 100

- Complete digital design with veterinary-specific algorithms
- 3-lead acquisition, single channel
- LCD waveform display; configurable
- Multiple digital filters
- High-resolution, built-in thermal printing
- Print speeds (mm/sec) 25, 50
- Built-in, high-capacity, rechargeable Li-ion battery (≥3 hours); AC/DC supply
- Well-designed touch panel for easy operation
- Input/output via RS-232 Serial port
- Automatic baseline adjustment for optimal recording
- Auto or manual operation
- Lead-off detection and display
- Light (5.1 lb) and compact; optional carry bag

(113-0809).....ea **$830.00**

Please note: All NLS item codes featured in blue.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825

09VS1214

HENRY SCHEIN® COMPLETE care Protection Plan
VALUE
PROTECTION
CONVENIENCE
PEACE OF MIND

Your Best Friend Says...Protect Your Equipment Investment!

HENRY SCHEIN'S COMPLETEcare protects your valuable equipment purchases beyond the manufacturer's warranties. **COMPLETEcare's** extended service contract offers superior support and no-hassle comprehensive repair coverage that will help you to maintain your equipment investment for new or even older, out-of-warranty equipment. In addition to the usual replacement parts and labor due to manufacturing defects, **COMPLETEcare** covers normal wear and tear, the service technician's travel expenses, and sales tax.

COMPLETEcare provides:

- Extended service agreements for equipment repair even if the OEM warranty has expired
- "A" rated insurance coverage
- Fixed expense for parts/labor due to defects, normal wear, technician's travel expenses, tax/freight
- Choice of customer's vendor for repairs after OEM warranty expires
- Assistance in locating an alternate vendor or parts source if needed
- 10-day turnaround on disbursement of checks for covered repair charges

Henry Schein COMPLETEcare Service

To learn more about Henry Schein COMPLETEcare Services, contact: 1.800.872.4346
www.henryschein.com/veterinary

© 2009 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors.

HENRY SCHEIN®
VALUE-ADDED SOLUTIONS

HENRY SCHEIN®
ANIMAL HEALTH

We're Always Open for Business

Henryschein.com is faster and easier to use with more features to help your business run smoothly—day or night. Log on and check out the products and services that have made Henry Schein an industry leader.

- **Easy-to-use, enhanced search feature**
- **Order directly from your purchase history**
- **Manufacturers' monthly promotions**
- **Custom shopping lists for faster ordering**
- **MSDS product sheets & chemical inventory list for OSHA**
- **Instant order confirmation & shipment tracking**
- **Dynamic custom reporting to manage your purchasing**
- **Automatic updates on new products, special promotions, and latest pricing**
- **Easy online returns**

www.henryschein.com/veterinary
To Order, Call: **1-800-872-4346** 8am–9pm (et)
To Fax an Order: **1-800-483-8329** 24 Hours

© 2009 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors.

HENRY SCHEIN®
VALUE-ADDED SOLUTIONS

Please note: All NLS item codes featured in blue.

SurgiVet™

Equator® Convective Warming System
Patented temperature-control system ensures the desired therapy setting while the high air flow promotes even distribution of warm air throughout the blanket and onto the patient. This helps to improve patient outcomes and reduce incidence of hypothermia.
(113-0637) 167454.....ea **$999.00**
Contains: convective warmer, 5' large air delivery hose, 40"W x 80"L full-body blanket, 40"W x 64"L pediatric full-body blanket, 40"W x 64"L lower-body blanket, 40"W x 54"L pediatric underbody blanket, & operation manual.

GAYMAR®

Gaymar® Temperature Therapy Pump
Heat therapy pump power unit supplies a temperature-controlled flow of heated water through a set of hoses to a pad, which is then applied to a patient for the purpose of warming.
#TP650
(111-3802) 170052.....ea **$389.00**

MUL•T•Pad® with Clik-Tite® connectors
15" X 22" heavy duty pliable polymer TPump pad with Clik-Tite® connectors.
TP22G
(827–2149) 100726.....ea **$49.00**

MUL•T•Pad® with Clik-Tite® connectors
15" X 22" pliable all polmer TPump pad with Clik-Tite® connectors
T22B
(827-1948) 10/case **$139.00**



Please note: All NLS item codes featured in blue.

GAYMAR®

Thermacare® TC3000 Patient Warming System
Convective warmer with adjustable control for maximum therapy and comfort. No water, no spills, no mess, and no puncture issues. Even heat, with no hot spots. Heats to 115°F.
Convective Warmer
(827-7852) 169645 .....ea **$1,299.00**
Quilt, Small Animal (Horseshoe-Shaped), 17" x 33"
(827-5693) 163887.....10/case **$159.00**
Quilt, Small Animal, 26" x 48"
(827-8677).....10/case **$159.00**
Quilt, Dual Small Animal, 26" x 72"
(827-0727).....10/case **$159.00**
Quilt, Medium Animal, 40" x 61"
(771-7610).....10/case **$159.00**
Quilt, Large Animal, 40" x 90"
(106-3920).....10/case **$159.00**

JorVet™

Circulating Water Pump
Prevents hypothermia during and after surgery. Warm water is circulating throughout a blanket by a special electrical pump. Pump maintains a selection of temperatures (86°F-107°F) within 1.5°F. Pump can be used with Jorgensen vinyl or plasti-pad urethane blankets as well as other brands of circulating water pump blankets.
- Audible alarm warnings
- 1500 mL reservoir
- Dual thermostats for safety
- Flow rate: 15 gal/hour
- 8' connecting hose and electrical cord
- Mag-drive pump can be used with tap water
- Digital LED readout
- 1-year warranty

#J-783X
(110-8662) 169659.....ea **$515.00**

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825

JorVet™

Warm Air Unit
- 3 temperature settings
- Audio/visual alarms
- 6' flexible hose
- Dimensions: 8¾"W x 8¾"D x 13½"W, 13½ lb
- 11–120 V, 50–60 Hz
- Filtration: 0.2 micron, high efficiency

Warm Air Unit by CSZ (J-1034CN)
(110-1769) 169715 .....ea **$2,080.00**

Warming Blankets
These warm-air blankets are a safe, economical solution to keeping patients warm during surgery and recovery. They are made of a silky polyester fabric with an inlay of nylon waterproof material to keep the airflow circulation upward toward the patient. They are machine washable (hang to dry), making them more economical than other blankets on the market. They will fit any of the major brands of warm-air convection units.

Small (J1034)
(109-7566) 170250 .....ea **$42.00**

Medium (J1034A)
(109-7568) 168871 .....ea **$45.00**

Large (J1034B)
(109-7569) 170251 .....ea **$49.00**

All 3 (J1034S)
(109-7570) 168874.....ea **$122.00**

JorVet™

Lectro-Kennel
Solid, flat pad that provides warmth through a dual internal thermostat preset at 102°F. Constructed of rugged black ABS plastic, with a steel-wrapped abrasion-resistant electrical cord.
- Completely watertight
- Easily cleaned
- Suitable for all makes of cages
- Usable in kennel runs
- 1-year limited warranty

#J-916, Feline/Small, 40 W, 12" x 18"
(568-9520) 114390 .....ea **$95.00**
#J-916A, Medium, 60 W, 16" x 22"
(568-5191) 114391.....ea **$120.00**
#J-916B, Large, 80 W, 22" x 28"
(703-5436).....ea **$145.00**

RICA
RICA Surgical Products

Surgery/Recovery/Dental Thermal Pads
Excellent to use for birds, small mammals, dental procedures, post-op recovery, and more.
- Helps to prevent hypothermia
- Safe and consistent temperature of 98°–103°F
- Very durable: built with heavy-duty ABS medical-grade plastic
- Portable and user-friendly: simple and quick to move for use anywhere in the clinic
- Supported by RICA's exclusive 3-year warranty
- Available in 5 distinct sizes

12" x 18"
(111-6461) 164189 .....ea **$116.00**
20" x 20"
(111-6463) 164190 .....ea **$145.00**
20" x 28"
(111-6464) 164191 .....ea **$205.00**
15" x 45"
(111-6465) 164201 .....ea **$232.00**
30" x 45"
(111-6466) 164202 .....ea **$359.00**

SHARN VETERINARY, INC.

I-Warm Fluid Warmer
Economical fluid warmer with temperature display for standard IV sets.
Features:
- Portable and lightweight
- Convenient hanging belt to hang on IV pole
- Current temperature displayed in Fahrenheit or Celsius
- Temperature overheating protection
- Indicators for warming (orange), power (green), and overheating (red)

(110-4008) 169477 .....ea **$325.00**

SurgiVet™

HOTLINE® Fluid Warmer
Fluids or blood are warmed to between 95°F and 105°F (35°C and 41°C) by a circulating water bath, and they are never exposed to any damaging or dangerous temperatures. With the patented HOTLINE® tubing design, IV pathway is surrounded by circulating water bath. Fluid is warm all the way to patient. As warmed fluid or blood flows through tubing, it does not lose warmth to ambient air.
- Fluids or blood are warmed to between 95°F and 105°F (35°C and 41°C) by a circulating water bath
- Fluids or blood are never exposed to any damaging or dangerous temperatures
- With patented HOTLINE® tubing design, IV pathway is surrounded by circulating water bath
- Fluid is warm all the way to patient
- As warmed fluid or blood flows through tubing, it does not lose warmth to ambient air
- Warm and ready to use in 4 minutes (from a cold start)
- Accommodates a slow drip up to a bolus
- 1-year warranty

#V707000
(106-4037) 167935 .....ea **$599.00**

Please note: All NLS item codes featured in blue.

The VSSI Way™ Platform Scale and Mount

For Animals Up to 300 lb

- New technology with exceptional accuracy
- Tare function and weight autolock
- Channel enclosed
- Primary display included; secondary display capabilities
- Heavy, ribbed vinyl mat
- Stainless steel top
- Raised antidrip edges
- Uses AC adapter or 1–9-V battery
- Protected load cells

#110-01100-00, Platform Scale
(188-0266) 107754 .....ea **$980.00**

#210-0117-02, Display Post Mount
(188-0533) 108396 .....ea **$73.00**

Small Animal/Pediatric Scale

This scale is particularly suited to the veterinary industry. With a capacity of 44 lb (20 kg) and readability of ½ oz (10 g), the scale will accurately weigh infants or small animals. It has a "hold" feature that will capture an unstable weight and keep it on the display for recording after weight is taken off. It is offered in 2 models and can operate on battery (single 9 VDC) or AC (adapter included). Includes a stainless steel weighing tray.

#J825SS
(106-8480) 166909 .....ea **$155.00**

AUTO 300 Electronic Platform Scale

Floor Mounted, with Mounting Column

For animals up to 300 lb (136 kg). LOCK button locks in weight for restless animals. TARE button compensates for weight of carrier. Simply weigh carrier first and push button to reset console to zero. Place animal and carrier on scale to find true weight of animal.

- 4 load cells (1 on each corner) for a more accurate weight reading
- Quick and easy to use
- Easy-to-read LCD displays weight to the nearest 0.1 lb or kg
- Select buttons for lb and kg. Display indicates which was selected
- Display console tilts for best viewing angle
- Accurate to ±1.0%
- 120 V AC

#12451-00-GZA, Scale, 45.44"W x 2"H x 21.44"D
(499-0224).....ea **$1,180.00**

#12470-00-AJE, Console Mounting Column, 2.5"W x 30"H
(499-0226).....ea **$72.00**

LCD Cat Scale

Very lightweight, slim design, with handles on each end to ease carrying from room to room. Scale's design also allows it to be hung on a wall or to slip into tight space for storage. The unit is a one-piece design with no bulky separate cradle to break or get in the way.

(110-1419) 168853.....ea **$261.00**

1584 Digital Baby and Infant Scale with LED

Affordable digital infant scale that offers 1-oz (20-g) sensitivity up to 20 lb.

- 44-lb capacity; 0–20 lb x 1 oz (20 g), 22–44 lb x 2 oz (50 g)
- ¾" LED display
- Auto off
- Weight lock
- 14" x 14" x 23" tray
- 4 AAA batteries included

#1584, Tray Dimensions: 14" x 14" x 23"
(611-0994) 168820.....ea **$162.00**

Walk-On Platform Scale

Special software captures the weight of a moving animal. Stainless steel top with rubber mat to avoid slippage. All units are precalibrated and simple to install using the adjustable feet for leveling.

- Weighs 0.1 kg/0.2 lb units with tare function
- Weighs up to 250 kg or 550 lb
- Remote LCD screen with 3 m (10') cord for wall mounting
- 22"W x 42"L x 2"H
- AC with 6 metal hydride rechargeable batteries

#J825QM
(974-8219) 163796 .....ea **$665.00**

Please note: All NLS item codes featured in blue.

NLS, Maryland: 1-800-638-8672 Fax: 1-888-568-2825
NLS, Texas & Oklahoma: 1-800-444-4381 Fax: 1-800-771-2232
NLS, Alabama: 1-800-476-4343 Fax: 1-888-568-2825

Bionet

Zeus-200Vet

Powerful and stable technology that can meet all surgical demands with safety, flexibility, and convenience, without performance compromise.

- Compact and lightweight
- 4 cutting modes
- Contact or spray coagulation
- Convenient hand or foot controls

#200W

(108-9899) .....ea **$2,777.00**

COVIDIEN

positive results for life

LigaSure™ Vessel Sealing System

Bipolar electrosurgical vessel-sealing device that can be used in open procedures or laparoscopically.

- Uses pressure and energy to permanently fuse vessels up to 7 mm in diameter and tissue bundles without dissection or isolation
- Changes collagen and elastin present in cells to plastic-like seal, fusing vessels shut
- Instant Response technology provides surgeon with Seal of Assurance that vessel has been fused

Refurbished

LIGASUREZE

(108-9545) .....ea **$15,300.00**

SHL

VETROSON® V-10 Bi-Polar Electrosurgical Unit

Soft tissue varies in electrical resistance; the deeper the tissue, the greater the electrical load it puts on the electrosurgical unit. The V-10 features special low-impedance circuitry that acts similarly to a car's automatic transmission. Generally the power has to be set only once for the case at hand, after which the instrument's circuitry takes over, automatically adjusting the power to compensate for tissue variations at the operative site. Cutting efficiency, therefore, remains constant throughout the procedure, when the electrode penetrates into highly vascularized tissue in the middle of the incision.

- Ready the moment it is turned on
- 100% solid-state circuitry with no vacuum tubes to break/burn out or keep veterinarian waiting during warmup
- Constantly adjusts its power
- Surgery and coagulation handpieces are activated by depressing the foot pedal, ensuring sterility throughout operation
- All components are autoclavable: 20 minutes at 250° F

Complete Basic Unit

(192-9377) 107253 .....ea **$1,678.00**

Contains: 1 black surgical handpiece, 1 white coagulation handpiece, 1 red ground plate, 8 commonly used electrodes, 1 bipolar insulated pair of forceps, & 1 cord.

Bovie AARON MEDICAL

AARON 950™ High-Frequency Electrosurgical Generator

First high-frequency desiccator with Cut. It features Cut, Blend, Coagulation (60 W each), Fulguration/Desiccation (35 W), and Bipolar (30 W) modes with 6 presets for the veterinarian's favorite settings. Easy-touch color-coded membrane pads, on front panels, allow for quick selection of each setting. Power output may be increased or decreased via the 3-button handpiece or the rotary power-control dial. For maximum flexibility, a complete line of disposable and reusable electrodes (blade, ball, needle, and loop) and bipolar forceps are available.

#A950

(483-9093) .....ea **$1,899.00**

Bovie AARON MEDICAL

AARON 1250™ High-Frequency Electrosurgical Generator

Features Cut (120 W), Blend (90 W), Coagulation (80 W), Fulguration (40 W), and Bipolar (30 W) modes. Incorporates automatic safety features such as self-test circuits, audible tones, discrete outputs, isolated circuitry, and Bovie NEM™ (neutral electrode monitoring).

#A1250

(258-8522) .....ea **$2,619.00**

Bovie AARON MEDICAL

AARON 2250™ Electrosurgical Generator

Multipurpose machine for use in modern operating rooms and surgicenters. Features both monopolar and bipolar functions to satisfy all surgical demands with safety, flexibility, reliability, and convenience. No need to settle for 1 or 2 blend modes anymore: This generator offers 10 different Blend settings, plus Cut mode, all with 200 W of maximum power output for the most demanding procedures. 2 levels of coagulation: Coagulation (maximum power: 120 W) and Fulguration (maximum power: 80 W), plus it has Bipolar (maximum power: 80 W). Digital power control: In addition, it delivers consistent, repeatable power into varying load impedances with BovieFDFS™ (Fast Digital Feedback System), thereby greatly reducing need for changing power setting to obtain desired surgical effect.

(913-2993) .....ea **$4,929.00**

Please note: All NLS item codes featured in blue.

Full body DR Digital Systems available
6, 9,16 megapixel CCD Technology.
Call for options and pricing on installation!

medlink IMAGING

Standard Veterinarian System

- High-frequency generator
- Variable focal distance
- Variable tube stand
- Four-way float-top stand
- Manual collimator
- Rotating X-ray tube
- Anatomical programming

#SISV-32
(723-9069) 164226.....ea **$20,400.00**

AFP IMAGING

AFP Mini-Med 90 Processor
Quality X-ray tabletop film processor built and priced to make in-house film developing cost-effective for small offices, clinics, satellite healthcare facilities, and mobile installations. It requires a minimum of precious darkroom space, measures only 33" x 22" x 24" overall, with only a 21" footprint. Processed film exits from the top, back to the operator, allowing the unit to fit handily into smaller spaces. Handles film as small as 4" x 4" and as large as 14" x 36", and can process up to ninety 14" x 17" films per hour.
(263-7597) 166115.....ea **$3,999.00**

NEW!

MINXRAY INC
EXCELLENCE IN IMAGING
WWW.MINXRAY.COM

Tough Ray TR80/TR90
Portable X-Ray Unit
These portable units include carrying case and light-beam collimator with integrated adjustable dual laser pointers, exposure switch/cord and power cord.

TR80
30–12 mA @ 40–80 kVDC
(113-5520) .....ea **$12,440.00**

TR90
30–9 mA @ 40–90 kVDC
(113-5525) .....ea **$14,030.00**

MINXRAY INC
EXCELLENCE IN IMAGING
WWW.MINXRAY.COM

HF8015+ Ultralight Portable X-ray Unit
Features the highest radiographic power-to-weight ratio ever achieved by a portable X-ray unit. Weighs less than 14 lb, and is equipped with a power setting from 50 to 80 kV DC at 15 mm. 5-year limited warranty.
(106-8254) 122156.....ea **$11,085.00**

Intraoral Radiography
• Reduced anesthesia with faster and easier to reach tough periapical angles
In-Procedure / Operatory
• Reduced patient discomfort and movement
• Take the x-ray to the patient, not the patient to the x-ray
Small Animal Limbs or Extremities
• Reduced patient panic and discomfort with faster x-rays
• Reduced patient radiation and more accurate angles
Equine / Large Animal
• Cordless and battery-powered portability reduces hassle
NOMAD™ Handheld X-ray
The NOMAD handheld x-ray system improves veterinary care with high-quality radiographic images. NOMAD is ideal for intraoral, limbs and extremities, and in-operatory procedures. Every table is now an x-ray table. No installation required! The NOMAD doesn't require wall mounting, remodeling or rolling tripods. Anytime... Anyplace you need x-ray, NOMAD is there.
Copyright ©2007 All Rights Reserved. NOMAD™ Patent Pending
ARIBEX™
For more information:
www.aribex.com

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**



What you see is only the beginning.

IDEXX Digital Imaging—the right investment now and for the long run.

A digital imaging system is a big commitment. IDEXX provides everything you need to make the right decision.

Solutions that suit the needs of both small- and large-animal practices: IDEXX-DR™ 1417, IDEXX-CR™ 1417 and IDEXX EquiView® Systems.

Stability IDEXX can deliver. As a veterinary technology leader for over 20 years, we'll be a partner you can rely on now and for the future.

Support that ensures your ability to provide continuous care 24/7/365.

Software developed specifically for veterinary medicine that keeps your practice on the leading edge through continual upgrades.

Seamless integration streamlines your workflow, increases staff productivity and preserves x-ray revenue.

It's easy to see how IDEXX can provide the right digital imaging solution for your practice. To schedule a demonstration today or to request your complimentary copy of *The IDEXX Guide to Digital Radiography*, **Call your Sales Representative for more information.**

See the future of veterinary diagnostics. IDEXX Digital Imaging.



IDEXX LABORATORIES

IDEXX Integrated Digital Imaging, Powered by SmartLink™ Technology

© 2008 IDEXX Laboratories, Inc. All rights reserved. • 6882-02 • All ®/TM marks are owned by IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries.

Please note: All NLS item codes featured in blue.

Office Design Solutions



HENRY SCHEIN ANIMAL HEALTH INTRODUCES

VETERINARY OFFICE DESIGN

Why choose Henry Schein Animal Health as your partner in office design? Through the optimal use of space, equipment, and design elements, the Henry Schein Design Group will transform your practice into a well-organized business and an efficient space that offers the ultimate in animal care.

Our design experts offer innovative, cutting-edge designs. See your office before you build it! Our three-dimensional renderings help to insure your new veterinary practice will be perfect!

HENRY SCHEIN®
ANIMAL HEALTH

Please note: All NLS item codes featured in blue.

NLS, Maryland: **1-800-638-8672** Fax: **1-888-568-2825**
NLS, Texas & Oklahoma: **1-800-444-4381** Fax: **1-800-771-2232**
NLS, Alabama: **1-800-476-4343** Fax: **1-888-568-2825**

09VS1214

FROM idea to execution, A single source TO MAKE YOUR DREAM OFFICE A REALITY

VALUE OF DESIGN

A well-designed facility communicates the care and attention you have invested in your practice, your patients, and your clients.

The professionals at the Henry Schein Design Group know how to help you to achieve the perfect practice environment.

ADVANTAGES

The Henry Schein Design Group will create an office design that will give your practice all the advantages:

- Improved animal care
- Increased efficiency & productivity
- Enhanced comfort for staff and patients

Henry Schein Animal Health, a leading distributor to the veterinary segment for over 40 years, now has partnered with Hill Design Associates Architects, Inc. HDA Architects has been serving veterinarians for over 21 years and along with Henry Schein will guide you through every step of your facility's design process.

Our Services: Working in tandem with HDA Architects and our national team of Field Representatives, our designers create architectural space plans for veterinary office remodeling, expansion, and new construction projects. We strive to meet the aesthetic, functional, and financial requirements of our clients to make their dream office a reality.

Consulting: Our Henry Schein Design Group will guide you through our extensive design questionnaire to determine your specific requirements.

Schematic Design: Based on your initial interview, our group will develop a space plan to help you achieve the perfect practice environment. Because every practice is different, we will work with you until you feel all of your needs have been met.

Equipment Selection: Your Henry Schein Equipment Representative will assist you in selecting equipment that will best suit your practice needs.

Building Design & Construction Documents: The construction document phase is the end of the design portion of the contract. Drawings and specifications are created by HDA Architects and their team of consultants. This includes the mechanical, plumbing, electrical, and structural engineering phases of your project. Interior design services are available upon request.

Bidding and Construction Administration: HDA Architects will be involved throughout the entire bidding phase, assuring that your project gets maximum exposure and competitive bids.

The Construction Process: Once the project is awarded, both HDA Architects and your Henry Schein Representative will provide continued support through the entire building process—from the final equipment installation to the opening day!

HENRY SCHEIN® ANIMAL HEALTH

NLS Animal HEALTH A DIVISION OF HENRY SCHEIN®

HDA ARCHITECTS

HENRY SCHEIN ANIMAL HEALTH DESIGN GROUP

800.336.8397 · officedesign@henryschein.com · www.henryschein.com/veterinary

10920 West Lincoln Avenue · West Allis, Wisconsin 53227

Please note: All NLS item codes featured in blue.

Why should your new high-speed dental unit be a Vet-base Ultima?

Because no other other unit on the market can offer all these great features:

- **24+ year history** – with many original units still in use today!
- **5 different models to choose from** – mobile cart, tabletop, wall mount, pole mount and wet-table combo. Something for every practice situation.
- **A truly silent compressor.** Others claim to be silent – the Ultima is the quietest by far.
- **Oil or Oil-less compressor** available
- **Easy to clean fiberglass case** – protects the compressor and working parts from dirt, dust and damage.
- **Excellent service** – over 3,000 technicians nationwide.
- **Proven reliability and longevity.** Upgraded compressor means no overheating and shutting down – ever!
- **Fully customizable.** Options include choice of coiled or straight lines, ½ or 1hp compressor, built-in Piezo scaler – with or without light, fiber optic high speed.
- **Included instructional DVD** explains set-up and maintenance plus shows a demonstration of common dental procedures by Dr. Dan Carmichael, Dipl. AVDC
- **Two -2 liter bottles** – more than enough water for any dental procedure - no reason to stop and re-fill.
- **A full-time dental equipment specialist** on staff to answer any questions.

BUILT IN PIEZO SCALER AVAILABLE ON ALL MODELS!
10 EQUAL PAYMENTS & ZERO INTEREST

Ultima 500: 3 models available
single head | double head | double head with fiber optics

HENRY SCHEIN Vet Base ULTIMA 500

Dimensions: 31¾" H x 18" W x 20" D

Ultima 250: Tabletop or Arm Mount Unit
Great for small spaces!

HENRY SCHEIN Vet Base ULTIMA 250

Dimensions:
250 Tabletop: 16" H x 11" W x 10" D

250 Arm Mount: (wall or pole)
12" standard arm
2" H x 11" W x 10" D

HENRY SCHEIN Vet Base ULTIMA 2000

Ultima 2000 - The only Dental Unit/Wet Table available in the industry!